


NEUMANN INDUSTRIAL INC

Material Handling

Idea Book



Updated October 1, 2021

PRESS

One of the greatest manufacturing advantages New Age employs is an aluminum extrusion press. This gives us control over material size, shape and quantity. In other words, by controlling the extrusion process, we have unlimited flexibility in product design and durability.

New Age has hundreds of extrusion dies in stock and the ability to acquire almost any die needed. The extrusion process starts with pure primary grade aluminum to ensure our products will not rust or corrode. The heated billet is placed into the extrusion press, an extrusion die is set in place, and the extrusion process begins. The 2.8 million pounds of pressure placed on the die makes the aluminum billet flow through the die to create the desired shape.

Once the extrusion cools, it is stretched to straighten the shape and to aid in the process of hardening the aluminum. The stretched shape is then cut, stacked and put into the aging oven. The aging oven heats the metal to around 360 degrees for about eight hours; This gives the aluminum it's temper or hardness, ensuring it's shape for the duration of it's lifetime.



SAW

Stock length extrusion then moves to the saw department where the extruded shape is sawed into the correct length for each specific product. Whether it is a standard part that we cut hundreds of, or a single custom unit, New Age has the personnel and equipment to handle the job.

Our high-tech automatic saw cuts precisely, ensuring high quality parts everytime. Manual saws are used for the more complex cuts and for custom items.

Finished parts from the saw department move to the welding or fabrication department.



DWG99998



DWG50263



DWG99548

50172

FABRICATION



Fabrication is responsible for drilling, bending and notching of both extrusions and sheet aluminum. New Age buys sheet aluminum in large coils of various thickness and widths to limit waste and to take advantage of volume buying.

In many of its processes, New Age uses computer numerical controlled equipment to maintain its high quality standards that are essential in the welding process.

WELDING



Welding quality and increased inches of weld per product are just a few features that set us apart from the competition. Our many fully automated robotic welders are used for high volume, repetitive, welding jobs. These high tech machines ensure a precisely welded joint every time.

Highly skilled welders handle the lower volume and custom items. These additional manual welding stations are critical to our market and manufacturing flexibility.



50707




DWG50500



1358



DWG99983



Representative _____

Drawing

Table Of Contents

CABINETS (Enclosed)	46, 72
----------------------------------	--------

CARTS

Bulk Delivery Carts.....	9-10
Cage Carts.....	23
Carrier Carts.....	23
"ESD" Carts.....	48
Floral Cart.....	15
Folding L Carts.....	7
Folding Utility Cart.....	7-10
Heavy Duty Utility Cart.....	13
Lean Manufacturing "Kitting" Carts.....	47
Low Boy Cart.....	7
Mat Carts.....	71
Merchandise Cart.....	7
Tubular Deck Cart.....	17
U-Boat Carts.....	8
Utility Cart.....	14
Wet Product Carts.....	16

CASTERS	76
----------------------	----

CUSTOMS	1, 3, 5-6, 10-14, 17-21, 23-25, 29-30 32-33, 35-38, 46-48, 50, 52, 72
----------------------	--

DOLLIES

Bowl Dollies.....	51
Bulk Mover Dollies.....	40
Chill Tray Basket Dollies.....	50
Flat Dollies.....	49
Keg Dolly.....	4
Mega Mover Dollies.....	40
Super Dollies.....	50
Trash Can Dolly.....	48
Tray Dollies.....	49

DUNNAGE RACKS

Anti-Slip Dunnage Rack Covers.....	51
Mobile Dunnage Racks.....	52
Stationary Dunnage Racks.....	52-53

EQUIPMENT STANDS

Mobile Equipment Stands.....	54
Stationary Equipment Stands.....	53-54

GUARANTEE	77
------------------------	----

HAND TRUCKS

RotaTruck Barrel Back/Keg Carrier Hand Truck..	3
RotaTruck Stair Climbing Hand Truck.....	3
Two Wheel Hand Truck.....	1-2

HOPPER BOTTOM BINS "I.B.C."	34
--	----

INDEX	78-80
--------------------	-------

LADDER CARTS	35-38
---------------------------	-------

LUG TUB / BULK BIN CARTS

Bulk Bins & Lids.....	40
Bulk Carts.....	40
Lug Carts.....	39, 41
Lug Tubs & Lids.....	39
Mega Mover Tubs & Dollies.....	40
Universal Lug Tub Carts.....	41

OPTIONS	75
----------------------	----

ORDERING INFORMATION	77
-----------------------------------	----

PALLETS

"Ergonomic" Pallet Stand.....	33
FDA Channel Pallets.....	31
Hand Truck Pallet.....	2
Order Picking Pallets/Carts.....	26-30
Picking Pallets.....	32
Raised Platform Picking Pallet.....	32
Tube Frame Pallets.....	31

PICKING

"Build Your Own" Picking Cart.....	22
"Evolution" Picking Carts.....	20
Multiple Tier Picking Carts.....	18-22
Order Picking Carts/Pallets.....	26-30
Picking Platform.....	32
"Pick To Light" Carts & Sleds.....	47
Picking Tote Carts.....	19-21
Raised Platform Picking Pallet.....	32
"Test Drive" Cart.....	22
Two/Three Tier Picking Carts.....	18-22
Tote Bin Picking Carts.....	19-22

RACKS

Platter Racks.....	42-43
Poly Box Storage Rack.....	44
Tray Racks.....	45
Universal Racks.....	42, 44

RAMPS

Arched Ramps.....	73
Curb/Threshold Ramp.....	4
Hinged Ramps.....	74

SECURITY CAGES	72
-----------------------------	----

SECURITY FENCE	71
-----------------------------	----

SHELVING

Adjustable Shelving	
Adjustable H.D. Shelving.....	60
Adjustable T-Bar Shelving.....	60
Adjustable Solid Shelving.....	60
Adjust-A-Shelf Posts & Accessories.....	61
Adjust-A-Shelf Heavy Duty Series.....	57
Adjust-A-Shelf Solid Brute Series.....	59
Adjust-A-Shelf T-Bar Series.....	58
Mobile Bases.....	22, 61

All Welded Shelving

All Welded Heavy Duty Shelving.....	55
All Welded T-Bar Shelving.....	56

Cantilever Shelving

Adjustable HD Heavy Duty Shelves.....	63
Adjustable SB Solid Reinforced Shelves.....	63
Adjustable T-Bar Shelves.....	63
Free Standing Braces.....	63
Free Standing Uprights.....	63
Table Mount Cantilever Shelves.....	68
Wall / Ceiling Uprights.....	64

Mega Duty-Shelving	65
---------------------------------	----

Wall Shelves

Inverted Shelves.....	62
Solid Wall Shelves.....	62
T-Bar Wall Shelves.....	62
T-Bar with Hanger Shelves.....	62

SPECIALITY

Aluminum Corners.....	70
Aluminum Cove.....	70
Aluminum Floor Grating.....	70

TABLES / STANDS

Pallet Stand.....	33
Poly Top Tables.....	67
Stainless Steel Top Tables.....	66
Table Accessories.....	69
Table Mount Cantilever Over Shelves.....	68

TRUCKS

Box Truck.....	11
Bulk Delivery Trucks.....	9-10
Freezer Trucks.....	41
Heavy Duty Multi-Shelf Aluminum Truck.....	12
Heavy Duty Multi-Shelf Stainless Steel Truck.....	12
Heavy Duty Stock Truck.....	14
Heavy Duty Utility Trucks.....	13
Platform Trucks.....	5-6
Utility Stock Truck.....	17
Uni-T Truck.....	11

WORKSTATIONS

Ergonomic Mobile Workstation/Tilt Cart.....	15
---	----



Proudly Made
In The U.S.A

New Age Industrial Corporation, Inc. • NewAgeIndustrial.com
phone: (800) 255-0104 or (785) 877-5121 • fax: (877) 877-7687 or (785) 877-2616

Hand Trucks



HT18F10

Model No.	Size W-H-D	Wheel Type	Ship Lbs.
HT18F10	22½" x 53½" x 19½"	Flat Free	41
HT18P10	22½" x 53½" x 19½"	Pneumatic	34.5
HT18NC	18" x 53½" x 16¼"	No Casters	29

Stair glide wear strips are standard.

Wheels:

HT18F10 - (2) 3½" x 10" Flat Free Wheels (#C559)

HT18P10 - (2) 3½" x 10" Pneumatic Wheels (#C560)

HT18NC - Includes ⅝" DIA. Axle.

Replacement:

47092 — Stair Glide Wear Strips (2).

- Heavy duty, all welded design.
- Lightweight aluminum.
- Removable foot plate (9" x 18").
- Weight Capacity = 750#
- For transporting heavy loads from the back room to the floor.
- Lifetime Guarantee against rust and corrosion.

NEW AGE
INDUSTRIAL
NEW AGE

Hand Trucks – Dual Grip, Barrel Back



99677

Model No.	Size W-H-D	Wheel Type	Ship Lbs.
99677	18" x 53½" x 19½"	Flat Free	40
99677PNU	18" x 53½" x 19½"	Pneumatic	32
99677NC	18" x 53½" x 16¼"	No Casters	23

Stair glide wear strips are standard.

Wheels:

99677 - (2) 3½" x 10" Flat Free Wheels (#C559).

99677PNU - (2) 3½" x 10" Pneumatic Wheels (#C560).

99677NC - Includes ⅝" DIA. Axle.

Replacement:

47092 — Stair Glide Wear Strips (2).

- Lightweight, all welded aluminum construction.
- Weight Capacity = 750#.
- Rounded back to cradle barrels.
- Designed to reduce fatigue and injury in the workplace.
- Equipped with removable/replaceable nose plate.
- Lifetime Guarantee against rust and corrosion.

NEW AGE
INDUSTRIAL
NEW AGE

Don't Compromise...

CUSTOMIZE!



DWG99244



DWG51333



DWG99523



Hand Trucks – Dual Grip

Model No.	Size W-H-D	Wheel Type	Ship Lbs.
99676F	18" x 53½" x 19½"	Flat Free	40
99676P	18" x 53½" x 19½"	Pneumatic	40
99524F	18" x 60" x 19½"	Flat Free	37.5
99524P	18" x 60" x 19½"	Pneumatic	36
99676NC	18" x 53½" x 16¼"	No Casters	29
99524NC	18" x 60" x 16¼"	No Casters	23

Stair glide wear strips are standard.

Wheels:

99676F & 99524F - (2) 3½" x 10" Flat Free Wheels (#C559)

99676P & 99524P - (2) 3½" x 10" Pneumatic Wheels (#C560)

99676NC & 99524NC - Includes ⅝" DIA. Axle

Replacement:

47092 — Stair Glide Wear Strips (2).



- Dual-grip handles.
- Lightweight, all welded aluminum construction.
- Weight Capacity = 750#.
- Removable/Replaceable nose plate.
- Hoop top, 1" pipe handle for easy handling.
- Lifetime Guarantee against rust and corrosion.



99676



99524

NEWAGE
INDUSTRIAL

Hand Truck Pallet

Model No.	Size W-H-D	Weight Capacity	Ship Lbs.
99627	21" x 1½" x 15½"	750 lbs.	8

Nose Plate Opening = 18½"W x ¾"H

Custom sizes available.

- Labor saving pallet allows movement of product without loading and unloading.
- Eliminates hand truck nose plate from scratching floors.
- All welded, lightweight aluminum construction.
- Designed to reduce damaged product.
- Ideal for route delivery trucks.
- Lifetime Guarantee against rust and corrosion.



99627

NEWAGE
INDUSTRIAL



Proudly Made
In The U.S.A

New Age Industrial Corporation, Inc. • NewAgeIndustrial.com
phone: (800) 255-0104 or (785) 877-5121 • fax: (877) 877-7687 or (785) 877-2616

Rotatruck Stair-Climber



RTC18



RTC18DG



Model No.	Size W-H-D	Weight Capacity	Ship Lbs.
RTC18	21¾" x 53½" x 22½"	485 lbs.	40
RTC18DG	21¾" x 53½" x 22½"	485 lbs.	40

Equipped with Rotacaster wheels (#C568).
Stair glide wear strips are standard.

Replacement:

47092 — Stair Glide Wear Strips (2).

- Multidirectional wheels with lateral movement.
- Wheels rotate on a center axis, allowing you to go up or down stairs.
- Not designed for use on open-back stairs.
- Designed to reduce fatigue and injury in the workplace.
- All welded frame with removable plate.
- Lifetime Guarantee against rust and corrosion.



Rotacaster wheels have the ability to move in any direction while mounted to a fixed position - Using rollers rather than a swivel mount. They are designed to reduce fatigue and injury in the workplace

NEW AGE INDUSTRIAL

Rotatruck Barrel Back Stair-Climber



RTCB16



Model No.	Size W-H-D	Weight Capacity	Ship Lbs.
RTCB16	18¼" x 51¼" x 20"	485 lbs.	38

Equipped with Rotacaster stairclimber wheels (#C568).
Stair glide wear strips are standard.

Replacement:

47092 — Stair Glide Wear Strips (2).

- Multidirectional wheels with lateral movement.
- Rounded back with 9½" wide opening to cradle barrels.
- Wheels rotate on a center axis, allowing you to go up or down stairs.
- Not designed for use on open-back stairs.
- Designed to reduce fatigue and injury in the workplace.
- All welded frame with removable plate (9" x 16").
- Lifetime Guarantee against rust and corrosion.



Rotacaster wheels have the ability to move in any direction while mounted to a fixed position - Using rollers rather than a swivel mount. They are designed to reduce fatigue and injury in the workplace

NEW AGE INDUSTRIAL

Don't Compromise...

CUSTOMIZE!

DWG99244



DWG50688



Curb / Threshold Ramp

Model No.	Size W-H-L	Weight Capacity	Ship Lbs.
50172	27" x 27" O.D. 26½" x 27" I.D.	750 lbs.	16

Fitted with anti-slip traction tape for secure footing.

- 2" x 5" Hand cutout for carrying or hanging in a delivery truck.
- 1½" High safety side rail.
- Flat transition top with stops underneath keeps ramp secure against curb when in use.
- Lifetime Guarantee against rust and corrosion.

NEW AGE
INDUSTRIAL
NEW AGE



50172

Keg Dolly

Model No.	Size W-H-L	Weight Capacity	Ship Lbs.
98037	17¼" x 5¼" x 17¼"	175 lbs.	13

Accommodates ¼ and ½ Barrel Kegs up to 16¾" in diameter.
Four 3" platform type casters (#C410).

- Low profile for easy loading.
- Three sides secured with tab upward, one side open for easy loading/unloading.
- 3" swivel plate casters.
- Lifetime Guarantee against rust and corrosion.

NEW AGE
INDUSTRIAL
NEW AGE



98037



Proudly Made
In The U.S.A

New Age Industrial Corporation, Inc. • NewAgeIndustrial.com
phone: (800) 255-0104 or (785) 877-5121 • fax: (877) 877-7687 or (785) 877-2616

U-Shaped Platform Truck



99321

Model No.	Size W-H-L	Deck Size	Weight Capacity	Ship Lbs.
99320	20" x 44½" x 36½"	20" x 36"	2000 lbs.	45
99321	20" x 44½" x 48½"	20" x 48"	2000 lbs.	50
99322	20" x 44½" x 60½"	20" x 60"	2000 lbs.	56
99323	30" x 44½" x 48½"	30" x 48"	2000 lbs.	58
99324	30" x 44½" x 60½"	30" x 60"	2000 lbs.	61

Four 8"x2" platform type casters - 2 swivel (#C526), 2 rigid (#C527).

Options:

"CL(C)", "PB", "PP(C)" — see page 75 for details.

- Channel deck for heavy duty loads and easy cleaning.
- Deck Height = 11¼"
- Rounded nose decreases damaged walls and doors.
- Removable tube handle.
- Lifetime Guarantee against rust and corrosion.

NEW AGE
INDUSTRIAL

Folding Platform Truck



98667

Model No.	Size W-H-D	Position	Weight Capacity	Ship Lbs.
98667	26¼" x 51½" x 48"	Unfolded	800 lbs.	68
	6¼" x 12" x 48"	Folded		

Four 6" heavy duty plate casters - 2 swivel (#C513), 2 rigid (#C514).

- Handle folds up for easy storage.
- Has 8¾ square feet of deck space... Takes up less than 3 square feet of storage space.
- For transporting heavy loads from the back room to the floor.
- Lifetime Guarantee against rust and corrosion.

NEW AGE
INDUSTRIAL

Don't Compromise...

CUSTOMIZE!



DWG99733



DWG51349



DWG51081



Aluminum Platform Truck

Model No.	Size W-H-L	Deck Size	Weight Capacity	Ship Lbs.
Platform Truck With Smooth Deck				
PT2436S6	24" x 41" x 39"	24" x 36"	2600 lbs.	54
PT2448S6	24" x 41" x 51"	24" x 48"	2600 lbs.	58
PT3048S6	30" x 41" x 51"	30" x 48"	2600 lbs.	65
PT3060S6	30" x 41" x 63"	30" x 60"	2600 lbs.	76
PT3660S6	36" x 41" x 63"	36" x 60"	2600 lbs.	89
PT3672S6	36" x 41" x 75"	36" x 72"	2600 lbs.	93
Platform Truck With Tread Plate Deck				
PT2436P6	24" x 41" x 39"	24" x 36"	2600 lbs.	56
PT2448P6	24" x 41" x 51"	24" x 48"	2600 lbs.	60
PT3048P6	30" x 41" x 51"	30" x 48"	2600 lbs.	67
PT3060P6	30" x 41" x 63"	30" x 60"	2600 lbs.	78
PT3660P6	36" x 41" x 63"	36" x 60"	2600 lbs.	89
PT3672P6	36" x 41" x 75"	36" x 72"	2600 lbs.	95

Four 6"x2" heavy duty "TPR" tread plate casters - 2 swivel (#C510), 2 rigid (#C518).

Options:

"CL(C)", "PB", "PP(C)" — see page 75 for details.

Caster Upgrade -- Replace last digit of model # with "8".

Consists of four 8" x 2" heavy duty polyurethane tread plate casters
— 2 swivel (#C526), 2 rigid (#C527).

Extra Handle -

#60328..... For 24" Wide Units
#60329..... For 30" Wide Units
#60330..... For 36" Wide Units

- Aluminum deck, 1/8" thick, with smooth or tread plate.
- Removable, heavy duty handle — standard.
— Double handle optional.
- Optional perimeter bumper.
- Lifetime Guarantee against rust and corrosion.



Smooth Deck



Tread Plate Deck
with optional caster upgrade

NEWAGE
INDUSTRIAL

Don't Compromise...

CUSTOMIZE!



DWG50535



DWG50412



DWG51187



DWG98527T



Proudly Made
In The U.S.A

New Age Industrial Corporation, Inc. • NewAgeIndustrial.com
phone: (800) 255-0104 or (785) 877-5121 • fax: (877) 877-7687 or (785) 877-2616

General Merchandise Cart



95370

Model No.	Size W-H-L	Weight Capacity	Deck Height	No. Of Casters	Ship Lbs.
95370	20" x 52 $\frac{3}{8}$ " x 55 $\frac{1}{4}$ "	1200 lbs.	9"	6	53

Six casters - four 5" swivel (#C450) and two 2" x 6" rigid (#C518).

- Folds up and stores on end to save storage space.
- Has 6 $\frac{3}{4}$ square feet of deck space... Takes up 2 $\frac{1}{4}$ square feet of storage space.
- For transporting heavy loads from the back room to the floor.
- Center rigid casters allow for zero turning radius.
- Lifetime Guarantee against rust and corrosion.

NEWAGE
INDUSTRIAL
NEWAGE

Folding "L" Cart



95241

Model No.	Size W-H-L	Weight Capacity	Deck Height	No. Of Casters	Ship Lbs.
95241	18" x 63" x 62"	1200 lbs.	9 $\frac{1}{8}$ "	6	54

Six casters - four 5" swivel (#C450) and two 2" x 6" rigid (#C518).

- Folds up for easy storage.
- Has 7 $\frac{1}{2}$ square feet of deck space... Takes up less than 2 square feet of storage space.
- For transporting heavy loads from the back room to the floor.
- Center rigid casters allow for zero turning radius.
- Lifetime Guarantee against rust and corrosion.

NEWAGE
INDUSTRIAL
NEWAGE

Low Boy Stock Cart



1183

Model No.	Size W-H-L	Weight Capacity	Deck Height	No. Of Casters	Ship Lbs.
1183	16" x 41" x 54"	1000#	9 $\frac{1}{8}$ "	6	40.5
1184	14" x 40" x 39"	1000#	7 $\frac{3}{4}$ "	4	23

Model #1183: four 5" swivel (#C450) two 6" rigid (#C518) platform type casters.

Model #1184: two 5" swivel (#C450) two rigid (#C460) platform type casters.

EACH UNIT HAS A REMOVABLE HANDLE.

- Designed for transporting heavy loads from the back room to the floor.
- Center rigid casters allow for zero turning radius.
- Rounded front helps protect walls and displays.
- Lifetime Guarantee against rust and corrosion.

NEWAGE
INDUSTRIAL
NEWAGE NSF

Folding Utility Cart

Model No.	Size W-H-L	Position	Deck Size	Weight Capacity	Ship Lbs.
96856	16" x 64" x 64¾"	Unfolded	16" x 60"	1500 lbs.	76
	16" x 14" x 64¾"	Folded			
Four 5" x 1¼" polyurethane, platform type swivel casters (#C450) and two 6" x 2" polyurethane, platform type rigid casters (#C518).					
Units Without Casters					
96856NC	16" x 14" x 64¾"	Folded	16" x 60"		51

OPTIONS: *** FACTORY INSTALLED ONLY ***

"E" - See page 75 for details

- Effortless Stocking Capability
 - Ideal for transporting heavy loads from the back room to the floor area or cooler.
 - Big enough to stock a complete area with one trip!
- Completely Portable - Six wheel design allows the unit to turn on a dime.
- Guaranteed Maintenance Free
 - Lifetime Guarantee against rust and corrosion.
- Maximum Storage Space
 - Stores upright (on-end) to maximize available storage space.



96856

NEWAGE
INDUSTRIAL
NEWAGE

U-Boat

Model No	Size W-H-L	Weight Capacity	Ship Lbs.
U-Boats			
95762	18" x 52¼" x 60"	1500 lbs.	51
96055	20" x 52¼" x 60"	1500 lbs.	59
Units equipped with four 5" x 1-¼" polyurethane, platform type swivel 'end' casters (#C450) and two 6" x 2" polyurethane, platform type rigid 'center' casters (#C518).			
Removable Shelves for U-Boats			
95762RS	For #95762		13
96055RS	For #96055		15

Removable shelves are reinforced with a solid cover.

Options:

"E" - See page 75 for details

- Traditional Six-Wheel Design.
 - Four swivel and two center rigid casters allow these carts to rotate in their own length.
 - Big enough to stock a complete area with one trip!
- Ideal For Narrow, Busy Aisles.
 - Approximately half the weight of common steel U-Boats.
- Guaranteed Maintenance Free.
 - Lifetime Guarantee against rust and corrosion.
 - No Galvanization or paint to wear off.
- Optional Removable Shelves Help Organize Product.



96055



95762 With 95762RS

NEWAGE
INDUSTRIAL
NEWAGE



Proudly Made
In The U.S.A

New Age Industrial Corporation, Inc. • NewAgeIndustrial.com
phone: (800) 255-0104 or (785) 877-5121 • fax: (877) 877-7687 or (785) 877-2616

Bulk Delivery Truck



BDT18566



BDT18568



51753



52064



C510



C518



C616



C642



C526



C527



C598



C469



"B"



0313




47035




44023



44026



94293



94294



40007



0359



98172WP

Model No.	Size W-H-L	Position	Weight Capacity	Ship Lbs.
BDT18568	18" x 63" x 61"	Unfolded	1200 lbs.	104
	18" x 17" x 61"	Folded		

Casters= six 8" x 2" casters; four swivel (#C526), two rigid (#C527).

BDT18566	18" x 61" x 61"	Unfolded	1200 lbs.	96
	18" x 15" x 61"	Folded		

Casters= six 6" x 2" casters; four swivel (#C510), two rigid (#C518).

Note: All units have a working deck space of 18" x 56".

Options:

Removable Handle — Add "R" suffix to model #.

Item No.	Description
Options/Accessories	
"B" *	Dual Brake System For Center Rigid Wheels
** New Carts Only - Not for Retro-Fit **	
51005 *	Brake Retro-Fit Kit
For Carts without Dual Brake System	
2 rigid wheels, hex brake, brake pedal assembly	
51753	Keg Rack - Holds (5) 15.5 Gallon Half-Barrel Kegs
52064	Keg Rack - Holds (15) Sixth Barrel (Craft) Kegs
98172WP	Solid, Waterproof cover
Parts/Casters	
94293	Removable Handle for BDT
<i>Includes: PVC Sleeve, Plastic Pivot, Handle Reinforcement I-Beam</i>	
94294	Non-Removable Handle for BDT
<i>Includes: PVC Sleeve, Plastic Pivot, Handle Reinforcement I-Beam</i>	
0359	PVC Sleeve - 8 7/8" long
0312	PVC Sleeve - 6 1/2" long
0313	Plastic Pivot
47035	Socket Stop
0655	Socket Stop Screw
44023	Retaining Clip — 7/8"
44026	Retaining Clip — 7/16"
40007	Handle Reinforcement I-Beam
C510	6" x 2" Swivel Plate Caster, Poly Tread
C518	6" x 2" Rigid Plate Caster, Poly Tread
C616	6" x 2" Wheel Only, Poly Tread
C526	8" x 2" Swivel Plate Caster, Poly Tread
C527	8" x 2" Rigid Plate Caster, Poly Tread
C598	8" x 2" Wheel Only
C642	7/16" Hex Brake, 6" Rigid Caster, Poly Tread
C469	7/16" Hex Brake, 8" Rigid Caster, Poly Tread

*** Options for #BDT18568 Unit Only.**





- Big enough to transport enough product to stock a complete area, this folding delivery truck allows quick, convenient stocking.
- Vertical cart storage allows 100% accessibility for your next delivery.



- Maneuverable —zero turning —easier for narrow aisles and coolers.
- Time savings— no off loading or extra handling.
- Reduce injuries from extra handling.
- Easier checking in visible product.
- Less time in the store and reduces store congestion.
- Reduce service time— full access to all sides.
- Solid integrated deck.
- Center rigid casters allow for zero turning radius.
- Most durable Beverage Delivery Truck on the market.
- Stores on-end for space savings!
- Lifetime Guarantee against rust and corrosion.

NEWAGE
INDUSTRIAL
NEWAGE



Proudly Made
In The U.S.A

New Age Industrial Corporation, Inc. • NewAgeIndustrial.com
phone: (800) 255-0104 or (785) 877-5121 • fax: (877) 877-7687 or (785) 877-2616

Box Truck



1152

Model No	Size W-H-D	No. Of Shelves	Shelf Spacing	Ship Lbs.
1151	27" x 71" x 63"	2	29"	118
1152	27" x 71" x 63"	3	top = 28" bottom = 29"	123

Four 6" platform type casters: two swivel w/ brake (#C511) and two rigid (#C518).

OPTIONS:

"B", "PB", & "VB" — see page 75 for details.

- Transport heavy loads up to 2600#.
- Heavy Duty 6" platform type casters.
- All welded, heavy duty aluminum construction.
- Lifetime Guarantee against rust and corrosion.



Uni-T Truck



1430

Model No	Size D-H-L	Wheel Size	Shelf Spacing	Ship Lbs.
1430	24" x 68" x 58"	6"	38¼"	92
1431	24" x 70" x 58"	8"	38¼"	114

Model #1430: Four 6" x 2" casters, two swivel (#C490), two rigid (#C500).

Model #1431: Four 8" x 2" casters, two swivel (#C526), two rigid (#C527).

OPTIONS:

"B", "PB", "&" "VB" — see page 75 for details.

- Transport heavy loads up to 2000#.
- All welded, heavy duty aluminum construction.
- Lifetime Guarantee against rust and corrosion.



Don't Compromise...

CUSTOMIZE!



DWG99601



DWG99240



DWG98297



HD Multi-Shelf Truck - All Aluminum

Model No.	Size D-H-L	Weight Capacity	No. Of Shelves	Shelf Spacing	Ship Lbs.
1450	29" x 66¾" x 62"	3000 lbs.	5	12"	186
1451	29" x 66¾" x 75"	2500 lbs.	5	12"	210
1452	29" x 66¾" x 62"	2500 lbs.	4	16½"	174
1455	29" x 66¾" x 62"	3000 lbs.	6	9¼"	205

Four 8" platform type casters— two swivel (#C526) two rigid (#C527).

Each Unit Is Equipped With A Full Perimeter Bumper.

OPTIONS:

Towing Options Available — *Call For Pricing*

- Built for transporting BIG loads.
- Smooth radius handle and uprights.
- Solid shelves with marine edges add strength and contain spills.
- Standard perimeter bumper protects surfaces.
- Durable, all welded aluminum construction with 8" x 2" casters (standard).
- Lifetime Guarantee against rust and corrosion.



1452

HD Multi-Shelf Truck - Stainless Steel Shelves

Model No.	Size D-H-L	Weight Capacity	No. Shelves	Shelf Spacing	Ship Lbs.
97942	29" x 66¾" x 65½"	3000 lbs.	5	10½"	355
98181	29" x 66¾" x 76½"	2500 lbs.	5	10½"	351
98182	29" x 66¾" x 65½"	2500 lbs.	4	14½"	322
98183	29" x 66¾" x 65½"	3000 lbs.	6	8¼"	365

Four 8" platform type casters— two swivel (#C526) two rigid (#C527).

Each Unit Is Equipped With A Full Perimeter Bumper.

OPTIONS:

Towing Options Available — *Call For Pricing*

- Built for transporting BIG loads.
- Durable, all welded aluminum frame with removable stainless steel shelf covers.
- Smooth radius handle and uprights.
- Standard perimeter bumper protects surfaces.
- Equipped with 8" x 2" casters (standard).
- Lifetime Guarantee warranty against rust and corrosion.



98182

Don't Compromise...

CUSTOMIZE!



DWG50171



DWG99361



DWG97852



DWG99012



Proudly Made
In The U.S.A

New Age Industrial Corporation, Inc. • NewAgeIndustrial.com
phone: (800) 255-0104 or (785) 877-5121 • fax: (877) 877-7687 or (785) 877-2616

Extreme Duty Utility Truck



97180

Model No	Size W-H-D	Shelf Size	Shelf Spacing	Ship Lbs.
97177	22" x 41" x 37"	21¾" x 33⅝"	27"	70
97178	22" x 41" x 54"	21¾" x 50⅝"	27"	82
97179	29" x 41" x 37"	28¾" x 33⅝"	27"	74
97180	29" x 41" x 54"	28¾" x 50⅝"	27"	142

Two Tier Units With 27" Between Shelf Clearance.

Four 6" heavy duty polyurethane platform type casters:
two swivel (#C510) and two rigid (#C518).

OPTIONS:

"B", "CL(C)", "PB", "PP(A)", "VB" — see page 75.

- Two-Tier units, shelves have three lips up to contain product.
- Transport heavy loads up to 1500# per shelf
— 2000# Rolling Capacity —
- Heavy Duty 6" platform type casters.
- All welded, heavy duty aluminum construction.
- Lifetime Guarantee against rust and corrosion.



Heavy Duty Utility Cart



97769

Model No.	Size W-H-D	Shelf Size	Shelf Spacing	Weight Capacity	Ship Lbs.
97769	18½" x 39" x 32½"	18½" x 28¾"	14½"	550 lbs.	42

Four 5" plate type casters - two swivel (#C450) two rigid (#C460) with tamper proof fasteners.
Three tier solid shelf unit: each shelf with three sides up 1¼" and one side down 1¼".

OPTIONS:

"B", "CL(B)", "PB", "VB" — see page 75 for details.

- Ideal three shelf unit , shelves have three lips up to contain product.
- Strength and durability of stainless steel at much less the cost.
- Lifetime Guarantee against rust and corrosion.



Don't Compromise...
CUSTOMIZE!



DWG99238



DWG99211



DWG99108



DWG98765

Model No.	Size W-H-D	Shelf Size	Shelf Spacing	Weight Capacity	Ship Lbs.
NS745	18½" x 39" x 32½"	18½" x 28¾"	13"	350 lbs.	35
1440	16½" x 39" x 27¾"	16½" x 24"	13"	350 lbs.	29

Four 5" stem type casters— two swivel (#C480) two w/ brake (#C485).

OPTIONS:

"B", "MD", "VB" — see page 75 for details.

- Ideal three shelf unit, shelves have three lips up to contain product.
- Strength and durability of stainless steel at much less the cost.
- Lifetime Guarantee against rust and corrosion.



NS745



Heavy Duty Stock Truck

Model No	Size W-H-L	Weight Capacity	Top Shelf Type	Top Shelf Height	Shelf Spacing	Ship Lbs.
NS557	21" x 44" x 59½"	3000 lbs.	Bar	30"	18"	62
Unit With Solid Aluminum Top						
NS557A	21" x 44" x 59½"	3000 lbs.	Solid	30"	18"	65

Two tier unit with handle.

Four 6"x 2" platform type casters: two swivel w/ brake (#C495), two rigid (#C500).

OPTIONS:

"B", "PB", "VB" — See page 75 for details.

- For use in any application that requires maximum strength and durability.
- All welded aluminum construction with four, 6" x 2" platform type casters.
- 3000 lb. Weight Capacity
- Lifetime Guarantee warranty against rust and corrosion.



NS557A



Don't Compromise...

CUSTOMIZE!



DWG99608



DWG99804



DWG51501



DWG99885



Proudly Made
In The U.S.A

New Age Industrial Corporation, Inc. • NewAgeIndustrial.com
phone: (800) 255-0104 or (785) 877-5121 • fax: (877) 877-7687 or (785) 877-2616

Ergonomic Mobile Work Station



1407

Model No.	Position	Size L-H-W	Weight Capacity	Ship Lbs.
1407	Upright / Display	43" x 43½" x 24"	1000 lbs.	56
	Flat / Storage	48" x 19" x 24"		

Four heavy duty Polyurethane type platform casters — two: 2" x 5" rigid w/ brake (#C464) & two: 1¾" x 5" swivel (#C450).

- Slanted workstation for easy mobile access and product visibility.
- Ergonomic Tilt Cart.
- Vertical adjustment from flat, to 30° to 45° degrees providing three different views.
- Folds flat and stores upright to save space.
- Has 8 square feet of area... Takes up 3½ square feet of storage space.
- Lifetime Guarantee against rust and corrosion.



Floral Cart



NS765

Model No.	Size W-H-L	Top Shelf Height	Shelf Size	Shelf Spacing	Ship Lbs.
NS765	18½" x 32" x 45"	32"	17½" x 40½"	22½"	43

Two tier unit. Each solid shelf has 1½" lip on all sides (will hold water).
HANDLE AND VERTICAL CORNER BUMPERS ARE STANDARD.
Four 5" platform type swivel casters (#C453).



Spill Containing Shelves

- Each shelf has a 1½" lip perimeter to hold spills.
- All welded aluminum construction with 5" platform casters.
- Weight Capacity = 500#
- Lifetime Guarantee against rust and corrosion.



Wet Product Cart

Model No	Size W-H-L	Weight Capacity	No. Of Casters	Top Shelf Height	Shelf Spacing	Ship Lbs.
Carts With Two (2) Removable Pans						
1408	21" x 41" x 48½"	1200 lbs.	6	30"	19¼"	64
1410	29" x 41" x 50½"	1000 lbs.	6	30"	19¼"	69

Above units come equipped with a full perimeter bumper on the top shelf.

Six 5" platform type casters — four swivel (#C450) two rigid (#C460).

OPTIONS:

"CL(B)" — See page 75 for details.

Rear Mount Basket - Add "RMB" suffix to model #.

Paper Towel Bracket - Add "PTB" suffix to model #.

- This Wet Product Truck helps minimize the mess of transporting product by retaining moisture and debris.
- With two reinforced removable drip pans, this unit allows you to contain as well as remove unwanted moisture promoting a clean, sanitary area.
- Each removable shelf is reinforced with a heavy-duty, channel-enforced frame supported by four sturdy posts (one located at each corner).
- Lifetime Guarantee against rust and corrosion.



1408 • 1410



Wet Product Cart

Model No	Size W-H-L	Weight Capacity	No. Of Casters	Top Shelf Height	Shelf Spacing	Ship Lbs.
Cart With One (1) Removable Pan						
97126	24¾" x 38" x 52"	700 lbs.	4	30"	20"	52

Above unit has removable pan on top shelf w/ heavy duty tubular base.

Four 5" platform type casters — two swivel (#C450) two rigid (#C460).

OPTIONS

"CL(B)", "PB" — See page 75 for details.

Paper Towel Bracket - Add "PTB" suffix to model #.

- Double-deck cart moves product at a convenient, workable height from the floor.
- Perfect for narrow aisles with a width of 24¾".
- All-welded construction provides for heavy duty stocking operations.
- Removable shelf tray contains spills.
- Lifetime Guarantee against rust and corrosion.



97126



Tubular Deck Cart



95661

Model No	Size W-H-L	Weight Capacity	Top Shelf Height	Shelf Spacing	Ship Lbs.
95661	19" x 42" x 46"	700 lbs.	30"	20 3/4"	35

Four 5" platform type casters, two swivel (#C450) two rigid (#C460).

Options:

"CL(B)" — See page 75 for details.

- Double-deck cart moves product at a convenient, workable height from the floor.
- Perfect for narrow aisles with a width of 19".
- All-welded construction provides for heavy duty stocking operations.
- Lifetime Guarantee against rust and corrosion.



Utility Stock Truck



96134BH

Model No	Size W-H-L	Weight Capacity	Top Shelf Height	Shelf Spacing	Ship Lbs.
96134BH	19" x 41 1/2" x 46"	700 lbs.	30"	19 3/4"	42

Four 5" platform type swivel casters (#C453).

Handle and Corner Bumpers — Standard Equipment.

- Double-deck stock truck moves product at a convenient, workable height from the floor.
- Perfect for narrow aisles with a width of 19".
- All-welded construction provides for heavy duty stocking and produce operations.
- Lifetime Guarantee against rust and corrosion.



Don't Compromise...

CUSTOMIZE!



DWG97180




DWG96803



DWG96076



DWG96134



DWG97594



Picking Cart

Model No	Size W-H-L	Weight Capacity	No. Of Casters	Top Shelf Height	Shelf Spacing	Ship Lbs.
Solid Top Shelf • T-Bar Bottom Shelf						
1415	19" x 30" x 41"	800 lbs.	4	30"	20"	43
Solid Top Shelf • T-Bar Bottom Shelf with Handle						
1416	19" x 42" x 48"	800 lbs.	4	30"	20"	52
T-Bar Top & Bottom Shelf with Handle						
1420	19" x 42" x 48"	1000 lbs.	4	30"	20"	45
Solid Top & Bottom Shelf with Handle						
1490	19" x 42" x 48"	800 lbs.	6	30"	20"	55

Model #1415, #1416 & #1420: Four 5" platform type casters - two swivel (#C450) two rigid (#C460).

Model #1490: Six 5" platform type casters - four swivel (#C450) two rigid (#C460).

All carts have a clearance of 20" between shelves

Options: *** FACTORY INSTALLED ONLY***

"CL(B)", "PB" — See page 75 for details.

- These all welded units provide maximum strength and durability.
- Raised marine edge on solid shelves contain spills.
- T-Bar type shelves provide air circulation.
- Lifetime Guarantee against rust and corrosion.



1415



1420



1490

Picking Carts

Model No.	Size W-H-D	Shelf Spacing	Ship Lbs.
98012PC	48" x 42½" x 22"	15"	100

Equipped with four 5" platform type swivel casters (#C450).

- Three shelf cart designed for small part order picking, with three side bars for containment.
- Steel document shelf allows you to use magnets to hold picking sheets and other documents in place.
- Lifetime Guarantee against rust and corrosion.
- Can be custom built to fit your individual picking needs.



98012PC

Don't Compromise...

CUSTOMIZE!



DWG98639



DWG98601



DWG98559



DWG99501PC



Proudly Made
In The U.S.A

New Age Industrial Corporation, Inc. • NewAgeIndustrial.com
phone: (800) 255-0104 or (785) 877-5121 • fax: (877) 877-7687 or (785) 877-2616

Picking Cart



97986

Model No.	Size W-H-D	Shelf Spacing	Ship Lbs.
97986PC	70" x 70" x 21¾"	top = 24" bottom = 20"	126

Equipped with two 5" swivel (#C450) two rigid (#C460) platform type casters.

- Designed for transporting heavy loads.
- Steel document shelf allows you to use magnets to hold picking sheets and other documents in place. *(shelf is powdercoated)*
- Top shelf is designed with a tube back stop for added safety.
- Lifetime Guarantee against rust and corrosion.
- Can be custom built to fit your individual picking needs.

NEWAGE
INDUSTRIAL

3-Tier Picking Cart



97476

Model No	Size W-H-D	Shelf Size	Shelf Spacing	Ship Lbs.
97476	59" x 67½" x 26"	24½" x 56"	20"	136

Four 5" platform type casters: two swivel (#C450), two rigid (#C460).

Options:

"B", "CL(B)", "PB", "VB" — See page 75 for details.

- All welded, heavy duty aluminum construction.
- Each shelf set at 20° angle for easy product selection.
- Lifetime Guarantee against rust and corrosion.
- See page 31 for lugs.

NEWAGE
INDUSTRIAL

Don't Compromise...

CUSTOMIZE!



DWG50871



DWG98423



97476
The "Original".



DWG99171
Change shelf angle.
Add center pivot caster.



DWG99726
Add storage tray.



Little changes don't have to cost **BIG MONEY.**

At New Age, we know what a big difference little changes can make. That's why we pride ourselves on customer-friendly customizing. We control the manufacturing process from start-to-finish, thus controlling the cost.

Whether you want to accommodate a specific box or tote, make a unit wider, narrower, shorter, taller, etc... We have the capability to deliver it in a fast, economical fashion.

EVOLUTION

DWG99538
Add a document shelf.



DWG99249
Add a handle, storage tray and make it double-sided.



DWG99470
Add a tow hook.



DWG99377
Add a step and pull-out shelf.



NEW AGE
INDUSTRIAL
NEW AGE



Proudly Made
In The U.S.A

New Age Industrial Corporation, Inc. • NewAgeIndustrial.com
phone: (800) 255-0104 or (785) 877-5121 • fax: (877) 877-7687 or (785) 877-2616

Picking Tote Carts



Model No.	Size W-H-L	Weight Capacity	Shelf Spacing	Ship Lbs.
99799	23 $\frac{3}{8}$ " x 51" x 60 $\frac{3}{8}$ "	800 lbs.	16"	155

Four 5" platform type swivel casters - (#C450).

- T-Bar, easy-load, heavy duty cart.
- Equipped with ergonomic "soft grip" handles and an elevated base shelf.
- Extended base frame clears box debris in shipping and packaging areas.
- Lifetime Guarantee against rust and corrosion.



Model No.	Size W-H-L	Weight Capacity	Shelf Spacing	Ship Lbs.
99867	20 $\frac{1}{2}$ " x 72 $\frac{3}{4}$ " x 79 $\frac{1}{4}$ "	800 lbs.	19 $\frac{7}{8}$ " / 14"	346

Six 5" platform casters - four swivel (#C450), two rigid (#C460).

- T-Bar, easy-load, heavy duty cart.
- Equipped with ergonomic handles and ladder holder on opposite ends.
- Zero turning radius, center pivoting, six caster design.
- Horizontal end cross pieces secure product during transport and storage.
- Lifetime Guarantee against rust and corrosion.



Don't Compromise...

CUSTOMIZE!

DWG98525

DWG99038

"Test Drive" A Picking Cart

"No Cost" Solution to Pick & Put

You only pay the freight both ways!

Model No.	Size W-H-L	Weight Capacity	Shelf Spacing	Ship Lbs.
50212	24" x 47" x 63"	800 lbs.	Adjustable	125

Six 5" platform casters - four swivel (#C461), two rigid (#C463).

- "K.D" ships knocked down
- Shelves adjust to fit your needs.
- Adjustable handle.
- Six caster design = Zero turning radius.
- Lifetime Guarantee against rust and corrosion.



50212

• Call For Details •

NEWAGE
INDUSTRIAL


"Build Your Own" Mobile Picking Cart

Custom Picking Carts Designed by YOU Built by YOU

Using stock component parts.

- Adjustable all welded aluminum shelves.
- Base unit is all welded.
 - Plate type casters.
 - 4 or 6 wheels.
- Shelving
 - H.D. Style pg. 57
 - T-Bar Style pg. 58
 - Solid Style pg. 59
- Posts pg. 61
- Lifetime Guarantee against rust and corrosion.

50313
Handle/Desk w/ Tray
(fits 24"D shelf only)



50314
1½" Tube Handle
(fits 24"D shelf only)



50316
Document Tray
4"D x 4"H x 16½"L
(fits 24"D shelf only)



50315
Trash Can w/ Hanger
(fits 24"D shelf only)



50311X6 Base



50311

Model No.	Size D-H-L	Weight Capacity	Ship Lbs.
50310	24" x 9¾" x 36"	800 lbs.	30
50311	24" x 9¾" x 48"	800 lbs.	35
50312	24" x 9¾" x 60"	800 lbs.	83

Four 5" platform casters - two swivel (#C450), two rigid (#C460).

Options:

SIX WHEEL - ZERO TURNING — Add "X6" suffix to model #.

- Six 5" platform casters - four swivel (#C450), two rigid (#C460).

NEWAGE
INDUSTRIAL



Proudly Made
In The U.S.A

New Age Industrial Corporation, Inc. • NewAgeIndustrial.com
phone: (800) 255-0104 or (785) 877-5121 • fax: (877) 877-7687 or (785) 877-2616

Open Cage Truck



97132

Model No.	Size W-H-D	Deck Size	Ship Lbs.
97132	56¼" x 58" x 22"	21" x 48"	156
97592	56¼" x 58" x 30"	29" x 48"	160

Four 6" x 2" platform type casters — (2) swivel (#C510), (2) rigid (#C518).

- Specifically designed for oversized loads
- Whatever the load, large or small, this truck is equipped to handle your needs.
- With solid aluminum base and 43" high sides enclosing three sides, even large loads can be safely contained.
- Lifetime Guarantee against rust and corrosion.



NEW AGE
INDUSTRIAL

Carrier Cart



95667

Model No.	Size W-H-L	Shelf Size	No. Of Shelves	Shelf Spacing	Ship Lbs.
95667	20½" x 55" x 64"	20" x 60"	3	top = 17½" bottom = 18½"	175

Four 6" x 2" platform type casters — (2) swivel (#C510), (2) swivel w/ brake (#C511).

- Multipurpose cart for the storage and transport of modules, boxes, buckets, and similar items.
- Heavy duty all welded construction.
- All three solid shelves have three edges turned up (sides & back), with the front edge turned down.
- Upper two shelves are slanted 1° toward the rear to facilitate drainage.
- All shelves have drainage holes.
- Equipped with four heavy duty 6" x 2" platform type swivel casters, two with brakes.
- Weight Capacity = 1800#
- Lifetime Guarantee against rust and corrosion.

NEW AGE
INDUSTRIAL

Don't Compromise...

CUSTOMIZE!



DWG98243



DWG98891



DWG95948



DWG51504





DWG50641



DWG99647



DWG51105



DWG50540



DWG51385



DWG50854



DWG50444



DWG99979



DWG50789



STAGE

New Age Order Picking Carts offer many advantages to distribution centers including the ability to increase productivity and efficiency when compared to traditional stacking pallets; workplace safety through the lightweight design, easy portability, and angled shelving for ease of loading/unloading product; and flexibility in process implementation.

The additional ability of customization of the design and features has taken **New Age Order Picking Carts** to a new level of innovation over traditional order fulfillment equipment.

The adaptability of the **New Age Order Picking Carts**, through their advanced design upgrades, has made them an in-demand piece of equipment for order pickers.

INCREASE
Lift Capacity

Lighter Than STEEL



**GUARANTEED
> RUST FREE <**

PUT



PICK



Proudly Made
In The U.S.A


New Age Industrial Corporation, Inc. • NewAgeIndustrial.com
phone: (800) 255-0104 or (785) 877-5121 • fax: (877) 877-7687 or (785) 877-2616

Order Picking Carts

- All welded heavy duty aluminum construction.
- Order Picker secures to order picker cage with 2" x 4" wood block.
- Adjustable shelving with aluminum amplimesh sides.
 - 4° shelf slope.
- Organize and secures product.
- Mobile design allows safe and efficient moving.
- Universal forklift pockets.




98852C



99418



shown with Oak Clamp Block & Anti-Tip Bracket



Model No.	Lift Type	Size W-H-D	DH	Ship Lbs.
Three Adjustable Shelves • 24"D x 36¾"W • Adjustable on 4" Centers				
98852C	Crown/Clark	40" x 89" x 48"	5¼"	369
98852H	Hyster	40" x 89½" x 48"	6⅛"	369
98852R	Raymond	40" x 88" x 48"	4⅜"	369
98852T	Toyota	40" x 88" x 48"	4⅜"	369
Two Adjustable Shelves • 32"D x 36¾"W • Adjustable on 4" Centers				
99418C	Crown/Clark	40" x 89" x 48"	5¼"	376
99418H	Hyster	40" x 89½" x 48"	6⅛"	376
99418R	Raymond	40" x 88" x 48"	4⅜"	376
99418T	Toyota	40" x 88" x 48"	4⅜"	376

Equipped with four 6" platform type casters; two rigid (#C518), two swivel with brake (#C511). "DH" is the measurement from the top of the fork to the top of the deck.

Comes equipped with **0407 Oak Clamp Block**, 1½" thick, 3½" tall, 12" long and **Anti-Tip Bracket**.

Custom Sizes Available.


Options:

60513.....**Aluminum Strips**, can be added to the Oak Clamp Block (0407) to aid in gripping.



Order Picking Carts

- All welded heavy duty aluminum construction.
- Order Picker secures to order picker cage with 2" x 4" wood block.
- Adjustable shelving with aluminum amplimesh sides.
- 4° shelf slope.
- Organize and secures product.
- Mobile design allows safe and efficient moving.
- Universal order picking pockets.



99664



99664S30



Shelves Secure To Angle Glides

Model No.	Lift Type	Size W-H-D	DH	Shelf Clearance	Ship Lbs.
Forklift Picking Carts — Equipped With Two 30" Deep Shelves					
99664C	Crown/Clark	40" x 77" x 48"	5 1/4"	11 1/4"	410
99664H	Hyster	40" x 78" x 48"	6 1/6"	11 1/4"	410
99664R	Raymond	40" x 76" x 48"	4 3/8"	11 1/4"	410
99664T	Toyota	40" x 76" x 48"	4 3/8"	11 1/4"	410
Additional Shelves — Shelves Are Equipped With 3 Strips of Anti-Slip Tape					
99664S15		36 3/4" x 1 1/2" x 15"			15
99664S30		36 3/4" x 1 1/2" x 30"			30

Four 6" platform type casters; two rigid (#C518), two swivel with brake (#C511).
 "DH" is the measurement from the top of the fork to the top of the deck.
 Custom Sizes Available.

NEW AGE
INDUSTRIAL
NEW AGE

Order Picking Carts

Model No.	Lift Type	Size W-H-D	DH	Ship Lbs.
50617C	Crown/Clark	48" x 73" x 66"	5 1/4"	375
50617H	Hyster	48" x 74" x 66"	6 1/6"	375
50617R	Raymond	48" x 72" x 66"	4 3/8"	375
50617T	Toyota	48" x 72" x 66"	4 3/8"	375

Four 6" x 2" platform type casters; two rigid (#C518), two swivel with brake (#C511).
 "DH" is the measurement from the top of the fork to the top of the deck.
 Custom Sizes Available.

- Mobile platform for "Put or Pick" of larger bulk or case goods.
- Universal order picking pockets.
- Back stop with handle for easy mobility.
- All welded, heavy duty aluminum construction.

NEW AGE
INDUSTRIAL
NEW AGE



50617



New Age Industrial Corporation, Inc. • NewAgeIndustrial.com
 phone: (800) 255-0104 or (785) 877-5121 • fax: (877) 877-7687 or (785) 877-2616



DWG99162



DWG50815C



DWG99567



DWG99739



DWG50291



DWG50676



DWG98909





DWG50785



DWG50207



DWG50936



DWG50215



DWG99139



DWG51681R



DWG50500



DWG51242J



DWG50614



Proudly Made
In The U.S.A

New Age Industrial Corporation, Inc. • NewAgeIndustrial.com
phone: (800) 255-0104 or (785) 877-5121 • fax: (877) 877-7687 or (785) 877-2616


Channel Pallets



99557



99387



Section View

Model No.	Size W-H-D	Entry Type	Ship Lbs.
99557	40" x 5" x 48"	2-Way	64
99387	40" x 5" x 48"	4-Way	51

Custom Sizes Available


- All-welded construction.
 - Fireproof
 - Recyclable
 - Metal Detectable
 - UV Resistant
- Heavy 6005 T-6 Type Aluminum.
- Stackable/Nestable.
- Open channels for easy cleaning.
- Lifetime Guarantee against rust and corrosion.

LOAD WEIGHTS:


STATIC	30,000 LBS.
DYNAMIC	5,000 LBS.
RACKABLE	5,000 LBS.
TRUCKLOAD	510 T.L.
ALUMINUM WEIGHT	50 LBS.



Tube Frame Pallets



99613



Top Supports of Rectangular Tubing

Heavy Wall Uprights

45° Camfered I-Beam Base

Model No.	Size W-H-D	Ship Lbs.
99613*	40" x 5 1/4" x 48"	51
99749	40" x 5 1/4" x 48"	53
50788	48" x 5 1/4" x 48"	53

* Equipped with center base tube as shown.

- All-welded construction.
 - Fireproof
 - Recyclable
 - Metal Detectable
 - UV Resistant
- Sealed tube, all welded frame construction
- Four-way pallets.
- Lifetime Guarantee against rust and corrosion.

LOAD WEIGHTS:

	99613 & 99749	50788
STATIC	30,000 LBS.	20,000 LBS.
DYNAMIC	5,000 LBS.	4,000 LBS.
RACKABLE	5,000 LBS.	4,000 LBS.
TRUCKLOAD	510 T.L.	442 T.L.
ALUMINUM WEIGHT	49 LBS.	51 LBS.





Forklift Picking Platform

Model No.	Lift Type	Size W-H-D	DH	X	XX	Ship Lbs.
PPR4048	Raymond	40" x 9½" x 48"	4¾"	18½"	29½"	115
PPH4048	Hyster	40" x 11¾" x 48"	6-⅞"	17"	28"	115
PPC4048	Crown	40" x 10¾" x 48"	5-¼"	15"	26"	144
PPT4048	Toyota	40" x 9½" x 48"	4¾"	18½"	29½"	115

"DH" is the measurement from the top of the fork to the top of the deck.

Custom Sizes Available.

- Order Picker secures to order picker cage with 2" x 4" wood block.
- Fork pockets are 4" x 6" x ¼" wall tube.
- Replaceable wood clamp block.
- Anti-slip tape on end.
- Heavy duty aluminum construction.
- Lightweight and durable.
- Lifetime Guarantee against rust and corrosion.



PPR4048

NEWAGE
INDUSTRIAL

Raised Platform Picking Pallet

Model No.	Lift Type	Size W-H-D	X	XX	Ship Lbs.
99566	Universal	45" x 36" x 43½"	18½"	29½"	165

Custom Sizes Available.

- Ergonomic raised, solid platform for easier loading and unloading.
- Order Picker secures to order picker cage with 2" x 4" wood block.
- Replaceable wood clamp block.
- Heavy duty aluminum construction.
- Lightweight and durable.
- Custom sizes available.
- Lifetime Guarantee against rust and corrosion.



99566

NEWAGE
INDUSTRIAL

Don't Compromise...

CUSTOMIZE!



DWG50263



DWG51216



Proudly Made
In The U.S.A

New Age Industrial Corporation, Inc. • NewAgeIndustrial.com
phone: (800) 255-0104 or (785) 877-5121 • fax: (877) 877-7687 or (785) 877-2616

"Ergonomic" Pallet Stand



50707



50707
Shown with 40" x 48" pallet.



Gusset Corners



Pedestal Feet

Model No.	Size W-H-D	Ship Lbs.
50707	43" x 29½" x 51"	92
Open area between pallet supports = 5 5/8"		
Custom Sizes Available		

- Stationary Unit — All-welded construction.
- Gusseted corners contain pallet.
- Lifetime Guarantee against rust and corrosion.

Design Your Own Custom Unit

- Solid Top
- Any Size
- Mobile
- Side Containment
- Any Height
- Lower Deck for Pallet Storage
- Fork Pockets Below for Easier Movement

NEW AGE
INDUSTRIAL

Don't Compromise...

CUSTOMIZE!

~ Pallets ~



DWG50706



DWG50238



DWG50427

~ Platforms ~



DWG99860





DWG50498



DWG98920



Hopper Bottom Bins "I.B.C." *Intermediate Bulk Container*



- Designed to hold, blend and dispense raw materials or provide bulk storage for finished goods.
- Four-way fork pockets allow entry from all sides.
- Used for dry flowables, powders or viscous liquid.
- All welded, lightweight aluminum construction.
- Valve operation can be via:
 - fixed handle
 - removable handle
 - remotely controlled pneumatic activator
 - fully integrated controlled
- Butterfly valves available in 8", 10" or 12" sizes.
- Shown with 45° Hopper Bin base, units with a 60° base are also available.
- Lid shown is reinforced and has a 3" fusible top vent.
 - Optional lids include; flat, reinforced or one can be customized to fit your needs.
- United Nations certification is available for transporting hazardous materials.
- These bins are made on a custom order bases, please contact us for information and pricing.

NEW AGE
INDUSTRIAL
NEW AGE



Proudly Made
In The U.S.A

New Age Industrial Corporation, Inc. • NewAgeIndustrial.com
phone: (800) 255-0104 or (785) 877-5121 • fax: (877) 877-7687 or (785) 877-2616

Ladder Carts



99640

Model No	Size W-H-L	No. Of Shelves	Top Shelf Height	Shelf Spacing	Weight Capacity	Ship Lbs.
99640	22" x 69½" x 51½"	2	38"	21¾"	800 lbs.	198
99555	22" x 69½" x 51½"	3	38"	13½"	800 lbs.	198

Four 5" platform type casters, two swivel (#C461) two rigid (#C463).


- Easy-Load flat top shelves
- Extended push handle = Shin Saver!
- Continuous grip handle for ascending and descending.
 - Extended reach bar on top.
- Extra wide steps are welded and bolted in place.
 - Fitted with non-slip tape for safety.
- Spring loaded, full contact ladder stops.
- All welded, tubular base frame.
- Caster mounts are welded to the frame.
- Custom sizes available.
- Lifetime Guarantee against rust and corrosion.



99555



Flat Top Shelves



NEWAGE
INDUSTRIAL
NEWAGE

Don't Compromise...

CUSTOMIZE!



DWG50372





DWG50932



DWG50931



DWG50436



DWG50679



DWG50729



DWG50977



DWG50051



DWG50373



DWG50984

...Customize. • Don't Compromise...Customize. • Don't Compromise...Customize. • Don't Compromise...Customize. • Don't Compromise...Customize. • Don't Compromise...Customize.



Proudly Made
In The U.S.A

New Age Industrial Corporation, Inc. • NewAgeIndustrial.com
phone: (800) 255-0104 or (785) 877-5121 • fax: (877) 877-7687 or (785) 877-2616



Ladder Carts


Model No	Size W-H-L	No. Of Shelves	Top Shelf Height	Shelf Spacing	Weight Capacity	Ship Lbs.
50060	22" x 69½" x 51½"	2	38"	27⅝"	800 lbs.	183
50061	22" x 69½" x 51½"	3	38"	12⅝"	800 lbs.	198

Four 5" platform type casters, two swivel (#C461) two rigid (#C463).

- Shelf lips up on all sides to contain product.
- Extended push handle = Shin Saver!
- Continuous grip handle for ascending and descending.
 - Extended reach bar on top.
- Extra wide steps are welded and bolted in place.
 - Fitted with non-slip tape for safety.
- Spring loaded, full contact ladder stops.
- All welded, tubular base frame.
- Caster mounts are welded to the frame.
- Custom sizes available.
- Lifetime Guarantee against rust and corrosion.



50060



Shelf Lips Up



50061

NEW AGE
INDUSTRIAL
NEW AGE

Don't Compromise...

CUSTOMIZE!



DWG99113




DWG50421C



Proudly Made
In The U.S.A

New Age Industrial Corporation, Inc. • NewAgeIndustrial.com
phone: (800) 255-0104 or (785) 877-5121 • fax: (877) 877-7687 or (785) 877-2616

Heavy Duty Lug Carts



Model No.	Size W-H-D	Lug Capacity	Ship Lbs.
HEAVY DUTY - Accepts 15½" x 8¾" x 25" Lug (Not Included)			
1261	18¾" x 27½" x 21"	2	24
a. 1262	18¾" x 52" x 26½"	4	36
b. 1263	18¾" x 72" x 26½"	6	40
c. 93136*	29½" x 38" x 32½"	6	28
d. 1264	29½" x 62" x 33"	10	48

MODEL #1261 REQUIRES STACKING LUGS

#1261, #1262, & #1263 has four 5" plate type swivel casters (#C450).

#1264 and #93136 have four 5" platform type casters; two swivel with brake (#C450), two rigid (#C460).

Options:

"CL(B)" (#1261, #1262 & #1263 only) — See page 75 for details.

STANDARD - Accepts 15½" x 8¾" x 25" Lug (Not Included)

e. 1265	15¾" x 19" x 26"	1	11
f. 1266	15¾" x 33" x 28½"	2	18
1267	Handle for #1265 & #1266 (bolted on)		

STANDARD - With Welded Handle

g. 1265H	15¾" x 36½" x 28¾"	1	14
h. 1266H	15¾" x 36½" x 30½"	2	17.5

Four 5" stem type casters (#C480).

* Not NSF Approved

Options:

"CL(A)", "MD" — See page 75 for details.



Lug (Tub) Carts



Model No.	Lug Capacity	Size W-H-D	Ship Lbs.
i. 6265	1	15¾" x 19" x 26"	10
j. 6266	2	15¾" x 33" x 28½"	16
k. 99316	2	32½" x 19-¼" x 26"	17
97205	3	18⅞" x 42" x 26"	26
l. 6262	4	18⅞" x 51" x 26"	25
97253	5	18⅞" x 61" x 26"	28
m. 6263	6	18⅞" x 71" x 26"	31
6263KD	6	18⅞" x 71" x 26"	33.5

Four 5" swivel type stem casters (#C480) - No brakes.

"KD" indicates unit ships "Knocked Down".


Options:

"CL(A)" — See page 75 for details.

- Accepts standard lugs (15½" W x 8¾" H x 25" L).
- Ideal for transporting bulk products.
- Lifetime Guarantee against rust and corrosion.



Lugs



Model No.	Size W-H-L	Color	Ship Lbs.
RGY16825	15 ½" x 8 ¾" x 25"	gray	4
0361	Lid For #RGY16825	gray	1

Food Approved Molded Poly • Formed Cross-Stacking Bottom
FDA Compliant tubs.



Bulk Cart • Frame & Tubs

Model No.		Size W-H-D	Ship Lbs.
***** All Items Are Sold Separately *****			
a. 2 1/4 Bushel • 16.5 Gallon			
99521	Dolly	20 1/4" x 33" x 26 1/4"	26
0300	Tub	19 1/4" x 13 3/4" x 26"	8
b. 4 Bushel • 30 Gallon			
99271	Dolly	21" x 28 1/4" x 30 1/4"	22
0381	Tub	21 1/4" x 15 3/4" x 32 3/4"	12
0381L	Lid	22 1/2" x 2" x 34"	9
c. 6 Bushel • 41 Gallon			
99272	Dolly	22" x 25" x 29"	22
0363	Tub	23 1/4" x 20" x 32 1/4"	17
0363L	Lid	24 1/2" x 2" x 33 1/2"	6
d. 8 Bushel • 57 Gallon			
99273	Dolly	23 1/4" x 24" x 34 1/2"	23
0360	Tub	24 1/2" x 23" x 36 1/4"	23
0360L	Lid	25" x 2 1/2" x 37 1/2"	12.5
e. 9 Bushel • 66 Gallon			
99274	Dolly	27 1/2" x 25" x 38 1/4"	26
0382	Tub	29 1/2" x 19" x 41 1/2"	27
0382L	Lid	29 1/2" x 2 1/2" x 41 1/2"	10

Four 5" stem type casters (#C482).

All carts with tubs are 36 1/2" high.

Options:

"CL(A)" — See page 75 for details.



- The perfect "bulk" cart for every department.
- All welded construction.
- Lifetime Guarantee against rust and corrosion.



Mega Movers



Model No.		Size W-H-L	Ship Lbs.
***** All Items Are Sold Separately *****			
f. 14 Bushel • 17 Cubic Feet • 115 Gallon			
51619	Dolly	27 3/4" x 9" x 39 1/2"	30
0814	Tub	31 3/4" x 28 1/2" x 43 3/4"	35
(Tub on Dolly 35 3/4"H)			
g. 16 Bushel • 18.6 Cubic Feet • 135 Gallon			
51620	Dolly	26 3/4" x 9" x 40 1/4"	30
0816	Tub	31" x 29 1/2" x 45"	38
(Tub on Dolly 36 3/4"H)			
h. 18 Bushel • 24 Cubic Feet • 155 Gallons			
51621	Dolly	30 1/4" x 9" x 42 3/4"	31
0818	Tub	34" x 31" x 46 1/4"	41
(Tub on Dolly 38 1/4"H)			
i. 20 Bushel • 25.6 Cubic Feet • 170 Gallon			
51622	Dolly	29 1/4" x 9" x 40 3/4"	33
0820	Tub	34" x 32 1/2" x 46"	46
(Tub on Dolly 39 3/4"H)			

Six 5" plate type casters; four swivel (C450), two rigid (C463).



*** * Two Piece Design Allows Easy Cleaning of Dolly Base & Tubs! * ***

Aluminum Base

- Lifetime Guarantee against rust and corrosion.
- Six wheel design allows for zero turning radius.
- 1500 lb. Weight Capacity

FDA Tubs

- FDA Compliant tubs.
- Heavy wall in "all natural white" color.
- Seamless molded Polyethylene body.
- Smooth finish with rounded corners.



Proudly Made
In The U.S.A

New Age Industrial Corporation, Inc. • NewAgeIndustrial.com
phone: (800) 255-0104 or (785) 877-5121 • fax: (877) 877-7687 or (785) 877-2616

E-Z Load Lug/Pick Cart



Model No.	Size W-H-D	Weight Capacity	Ship Lbs.
99304	15¾" x 41½" x 28"	500 lbs.	21

Four 5" stem type casters (#C480).
Lugs/Totes sold separately on page 39.

- Designed for easy loading and unloading.
- Top frame holds standard lug tube on cross supports.
- All welded aluminum construction.
- Lifetime Guarantee against rust and corrosion.



Freezer Trucks



Model No.	Size W-H-D	Basket Capacity	Runner Spacing	Between Uprights	Ship Lbs.
1271	20" x 61" x 29"	7	7¾"	17½"	49
1272	20" x 68¾" x 29"	8	7¾"	17½"	55
1273	20" x 76¾" x 29"	9	7¾"	17½"	59
1274	31-½" x 61¾" x 35½"	12	9"	29"	55

Designed to hold 17"W x 28"L wire freezer baskets and boxes.
Four 5" platform type casters - 2 swivel (#C450), 2 rigid (#C460).

- ¾" angle guides support baskets and boxes.
- Lifetime Guarantee against rust and corrosion.



Universal Lug Cart



Model No.	Size W-H-D	Lug Capacity	Between Shelf Space	Ship Lbs.
1276	18½" x 36" x 26"	3	10"	26
1277	18½" x 47" x 26"	4	10"	30
1279	18½" x 68" x 26"	6	10"	35

Four 5" stem type casters (#C480).
Lugs/Totes sold separately on page 39.

Options:
"CL(A)" — See page 75 for details.



Heavy Duty Platter Rack

Model No	Size W-H-D	Platter Capacity	Platter Size	Runner Spacing	Ship Lbs.
1161	15¾" x 39½" x 26½"	6	12" x 26"	5"	30
1162	21" x 39½" x 26½"	6	18" x 26"	5"	30
1163	15¾" x 69½" x 26½"	12	12" x 26"	5"	42
1164	21" x 69½" x 26½"	12	18" x 26"	5"	52

Four 5" platform type swivel casters (#C450).

Options:

"B", "CL(B)", "M6", "MD", "PB" — See page 75 for details.



1162

1164

Universal Platter Rack

Model No.	Size W-H-D	No. Of Shelves	Between Shelf Space	Ship Lbs.
Accepts 10" x 30" or 12" x 30" Platters				
1354	16" x 42" x 32½"	5	7¼"	37
1355	16" x 67" x 32½"	8	7¼"	51

Four 5" platform type swivel casters (#C450).

Options:

"B", "CL(B)", "MD", "PB", "VB" — See page 75 for details.



1355

1354

Universal Platter Rack

Model No.	Size W-H-D	No. Of Shelves	Shelf Spacing	Ship Lbs.
For 10" - 12" Platters Up To 30" In Length				
6354	15½" x 42" x 32"	5	7¼"	34
1355M	15½" x 67" x 32"	8	7¼"	45

Four 5" stem type swivel casters (#C480).

Options:

"CL(A)", "VB" — See page 75 for details.



6354



Proudly Made
In The U.S.A

New Age Industrial Corporation, Inc. • NewAgeIndustrial.com
phone: (800) 255-0104 or (785) 877-5121 • fax: (877) 877-7687 or (785) 877-2616

Platter Rack • Angle Guide



1348



1340

Model No	Size W-H-D	Platter Capacity	Platter Size	Runner Spacing	Ship Lbs.
Single					
<i>Designed for 10" x 30" Platters</i>					
1340	13" x 39" x 30"	6	10" x 30"	5"	23
1343	13" x 69" x 30"	10	10" x 30"	6"	32
1345	13" x 69" x 30"	12	10" x 30"	5"	35
<i>Designed for 12" x 30" Platters</i>					
1346	15¼" x 39" x 30"	6	12" x 30"	5"	24
1348	15¼" x 69" x 30"	10	12" x 30"	6"	43
1347	15¼" x 69" x 30"	12	12" x 30"	5"	43
Four 5" stem type casters (#C480) — "Single" units listed above.					
Double					
1349	25½" x 71½" x 30"	18	10" x 30"	7½"	70
1350	29½" x 71½" x 30"	18	12" x 30"	7½"	71

Four 5" platform type swivel casters (#C450) — "Double" units listed above.

Options:

Single: "CL(A)", "MD", "PS", "VB" — See page 75 for details.

Double: "B", "CL(B)", "MD", "PS" (requires two), "VB" — See page 75 for details.



Platter Rack • Angle Guide



6347



6348

Model No.	Size W-H-D	Platter Size	Platter Capacity	Runner Spacing	Ship Lbs.
6345	13" x 69" x 30"	10" x 30"	12	5"	34
6348	15¼" x 69" x 30"	12" x 30"	10	6"	33
6347	15¼" x 69" x 30"	12" x 30"	12	5"	34

Four 5" stem type swivel casters (#C480).

Options:

"CL(A)", "PS", "VB" — See page 75 for details.

- Ideal for platter transport to and from the meat department.
- Heavy duty extruded angles provide easy product access and selection.
- Approved for use in freezers, coolers, as well as packaging and storage areas.



Universal Racks

Model No.	Size W-H-D	No. Of Shelves	Between Shelf Space	Ship Lbs.
1356	20 $\frac{7}{8}$ " x 67" x 27"	6	10 $\frac{1}{2}$ "	47
1357 *	28 $\frac{1}{2}$ " x 69" x 32"	7	9"	78
1358 **	20 $\frac{7}{8}$ " x 67" x 27"	8	7 $\frac{1}{4}$ "	53

Four 5" platform type casters (#C450).

* Model #1357 is a double capacity unit.

** Model #1358 will not accept lugs.

Options:

"B", "CL(B)", "MD", "PB", "VB" — See page 75 for details.

- Ideal multipurpose rack for all departments.
- Accepts many sizes of platters, pans, boxes and lugs.
- All welded construction with 5" platform type casters.
- Lifetime Guarantee against rust and corrosion.



1357

Universal Racks

Model No.	Size W-H-L	Pan Capacity	Runner Spacing	Ship Lbs.
For Platters, Pans, or Boxes Up To 18"W x 26"L				
1356M	20 $\frac{7}{8}$ " x 67" x 27"	6	10 $\frac{1}{2}$ "	45

Four 5" stem type swivel casters (#C480).

Options:

"CL(A)", "VB" — See page 75 for details.

- Ideal for transporting various sized platters, trays, boxes, and lugs.
- Heavy duty extruded oval tubing shelves provide easy product access and selection.
- NSF Certified.



1356M

Poly Box Storage Racks

Model No.	Size W-H-D	Pan Capacity	Runner Spacing	Ship Lbs.
End Loading - Accepts 18" x 26" or 18" x 13" Poly Boxes				
1481	21" x 70 $\frac{1}{4}$ " x 26"	8	7 $\frac{1}{2}$ "	42
NS648	21" x 70 $\frac{3}{4}$ " x 26"	16	3 $\frac{1}{2}$ "	53
92052	21" x 71 $\frac{3}{4}$ " x 26"	12	5"	48

These units will hold 18" x 26" or 18" x 13" poly food boxes, with or without covers manufactured by Cambro®, Carlisle®, Continental®, or Rubbermaid®.

Rack capacity is determined by the depth of the box.

THESE UNITS WILL NOT HOLD 18" X 26" PANS.

Four 5" platform type casters - 2 swivel (#C450), 2 swivel w/ brake (#C455).

Options:

"B", "E", "M6", "MD", "PB", "PS", "VB" — See page 75 for details.



92052



Proudly Made
In The U.S.A

New Age Industrial Corporation, Inc. • NewAgeIndustrial.com
phone: (800) 255-0104 or (785) 877-5121 • fax: (877) 877-7687 or (785) 877-2616

Tray Rack



97212
Shown with optional trays
30"W x 1-1/4"H x 24"D

Model No.	Angle Spacing	No. Of Runners	Opening Width	Rack Depth	Ship Lbs.
97211	2"	28	30 1/2"	24"	80
97212	4"	14	30 1/2"	24"	80
97213	2"	28	30 1/2"	36"	106
97214	4"	14	30 1/2"	36"	75
Aluminum Tray (.063 sheet with 1-1/4" lips, corners fused)					
97215	Aluminum Tray for #97211 & #97212				11
97216	Aluminum Tray for #97213 & #97214				15

Four 5" platform type casters; two rigid (#C460), two swivel w/ brake (#C455).

- Organized product in spill containing, pull-out trays for easy access and viewing.
- All welded construction with 5" platform type casters.
- Lifetime Guarantee against rust and corrosion.



Tray Racks



1331



1331S

- Lean manufacturing made easy utilizing mobile tray racks.
- End loading units accommodate 13" x 18", 14" x 18", and 18" x 26" trays.
- Side loading units accommodate 9" x 26" and 18" x 26" trays.
- Welded reinforced gussets keep the rack square.
- Lifetime Guarantee against rust and corrosion, superior strength and durability guaranteed.

Model No.	Size W-H-D	Pan Capacity	Runner Spacing	Ship Lbs.
3/4-Size End Loading Rack				
1361	20 3/8" x 60 3/4" x 26"	17	3"	54
End Loading Racks				
1461*	20 1/16" x 69 3/4" x 26"	38	1 1/2"	56
1330	20 3/8" x 69 3/4" x 26"	30	2"	70
1331	20 3/8" x 69 3/4" x 26"	20	3"	56
1332	20 3/8" x 69 3/4" x 26"	15	4"	52
1333	20 3/8" x 69 3/4" x 26"	12	5"	48
1334	20 3/8" x 69 3/4" x 26"	10	6"	43
Side Loading Racks				
1461S*	28 3/8" x 69 3/4" x 19"	38	1 1/2"	48
1330S	28 3/8" x 69 3/4" x 19"	30	2"	58
1331S	28 3/8" x 69 3/4" x 19"	20	3"	50
1332S	28 3/8" x 69 3/4" x 19"	15	4"	46
1333S	28 3/8" x 69 3/4" x 19"	12	5"	46
1334S	28 3/8" x 69 3/4" x 19"	10	6"	46

Four 5" platform type swivel casters (#C450).

* #1461 & #1461S Units Hold Pans By The Lip Only.

Options:

STANDARD UNIT OPTIONS:

"CL(B)", "B", "E", "M6", "MD", "VB", "PB", "PP(A)", "PS" — See page 75

KNOCKED DOWN UNIT & OPTIONS:

Knocked Down Units - Add "KD" suffix to model #. (no charge)

Four 5" stem type swivel casters (#C480)

**** This option is not available for model #1461, #1461S or #1361. ****

"CL(A)", "VB" - See page 75 for details.



Enclosed Cabinets

Model No.	Size W-H-D	Casters	Pan Capacity	H.D. Base	Ship Lbs.
½-Size Enclosed Tray Rack — 1½" Runner Spacing					
1296	20⅞" x 38" x 27⅞"	5" (#C450)	20	No	103
¾-Size Enclosed Tray Rack — 1½" Runner Spacing					
1293	20⅞" x 56" x 27⅞"	5" (#C450)	32	Yes	132
Full Size Enclosed Tray Rack — 1½" Runner Spacing					
1290	20⅞" x 68" x 27⅞"	5" (#C450)	40	Yes	159
1292*	20⅞" x 69" x 27⅞"	6" (#C510)	38	Yes	158
Solid Sides, Open Ends, Solid Top & Bottom — 1½" Spacing					
1291	20⅞" x 68" x 27⅞"	5" (#C450)	40	Yes	86
Solid Sides; Open Ends, Top & Bottom — 1½" Runner Spacing					
96328	20⅞" x 69⅞" x 26½"	5" (#C450)	39	N/A	82

Casters:

#C450 = 5" x 1⅜" polyurethane platform type swivel caster.

#C510 = 6" x 2" polyolefin platform type swivel caster.

* Equipped With A Reinforced Door — Standard

Units hold 13" x 18", 14" x 18", and 18" x 26" pans by the lip.

Note: Pan widths cannot exceed 17⅞" (+/- ⅛")

Options:

"B", "MD" (excluding #1292), "PB", "CL(B)", "CL(C)" — See page 75 for details.



1290



Don't Compromise...

CUSTOMIZE!



DWG97655CD



DWG97830



DWG99712



DWG99791



DWG99995



DWG50653



DWG98926



DWG50303



Proudly Made
In The U.S.A

New Age Industrial Corporation, Inc. • NewAgeIndustrial.com
phone: (800) 255-0104 or (785) 877-5121 • fax: (877) 877-7687 or (785) 877-2616

Lean Manufacturing “Kitting Cart”

- One piece flow systems eliminates changeovers and increases efficiency.
- Reduces the work in process, inventory on assembly lines facilitating “Just-In-Time” (JIT) delivery.
- Lifetime Guarantee against rust and corrosion.

I.D. Tag

Identify work in process.

Hanger Strips

Stainless steel hooks optional.

Pull Out Magnetic Shelf

Magnetic steel shelf.

Counter Balanced Weight

Maintains level with shelf extended.



DWG99762

NEWAGE
INDUSTRIAL
NEWAGE

Specific Advantages Found By One Customer:


- Reduced “pickers” travel from 7 to 2 miles per shift, on-line WIP by 70%.
- Increased assembly line space by 13%.
- Improved flexibility in building any model, any time, to support finished good pulled.
- Creates templates, identifying what needs to be picked for each model and each station on assembly line.
- Systemizes updating of templates due to bill of material changes.
- Minimizes the possibility of assembler installing wrong part on a unit.
- Eliminated bin storage system of parts and created “Just-in-Time (JIT) delivery of sequenced mini-mart carts with exact components.



Counter Balanced Weight
Maintains level with shelf extended.




Hanger Strips
Stainless steel hooks optional.



Pull Out Magnetic Shelf
Magnetic steel shelf.

Don't Compromise...

CUSTOMIZE!



Pick to light conveyor sled cart...
Increases pick rates 30-50%!



DWG50391



Circuit Board Production Rack — “ESD” Cart

Model No.	Size W-H-D	Ship Lbs.
51045	27 ½" x 70" x 20"	177

Four, 5" stem type swivel casters with brake (#C440).
Unit ships Knocked-Down "KD".

- ESD Board on shelves — Grooved to hold circuit boards.
 - Electrostatic discharge allows for safe dissipation of any charge build-up.
- Drag chain helps ground the unit.
- Adjustable shelving with infinite adjustability.
- Four polyolefin stem casters, with brakes, rated at 300# per wheel.
- Guaranteed Rust Free!



51045


NEW AGE
INDUSTRIAL

Trash Dolly

Model No.	Size W-H-D	Weight Capacity	Ship Lbs.
50125	18¾" x 7" x 18¾"	300 lbs.	8

Five 3" stem type casters (#C405).

- Accommodates the following trash cans with reinforced recessed base:
 - Carlisle "Bronco", Continental "Huskee" and Rubbermaid "Brute" 20, 32, 44 and 55 gallon **ROUND** containers as well as the 28 and 44 gallon **SQUARE** containers.
- Casters are mounted at the outside perimeter which offers much more stability.
- This simple 5 caster design makes the caster footprint larger without enlarging the overall unit footprint.
- Lifetime Guarantee against rust and corrosion.



50125

NEW AGE
INDUSTRIAL

Don't Compromise...

CUSTOMIZE!



DWG99962



DWG50186



DWG50472



Proudly Made
In The U.S.A

New Age Industrial Corporation, Inc. • NewAgeIndustrial.com
phone: (800) 255-0104 or (785) 877-5121 • fax: (877) 877-7687 or (785) 877-2616

Flat Dollies



Model No.	Size W-H-D	Weight Capacity	Ship Lbs.
Chilltray Dolly			
99260	19" x 6" x 23½"	100 lbs.	15
Glass Rack Dolly			
99261	21" x 6" x 21"	100 lbs.	12
Bun/Dough Dolly			
99262	18¾" x 6" x 26½"	100 lbs.	12.5
Empty Lug Dolly			
99251	17" x 6" x 26"	100 lbs.	13
Chicken Case Dolly			
99263	15¼" x 6" x 23"	100 lbs.	11.5
Four 3" x 1¾" platform type swivel casters (#C410).			
100 Lb. Weight Capacity.			

- One piece aluminum sheet design.
- Two inch sides with open corners for easy cleaning.
- Lifetime Guarantee against rust and corrosion.

NEWAGE
INDUSTRIAL

Pan Dollies



Model No.	Size W-H-D	Weight Capacity	Ship Lbs.
Angle Dolly Without Sides or Handle			
f. 1192	18 7/8" x 7" x 27"	800 lbs.	20
Angle Dolly With Sides & Handle			
g. 1193	21" x 33 ½" x 28½"	900 lbs.	25
Two Tier Angle Dolly With Sides & Handle			
h. 1194	21" x 44 ½" x 30"	900 lbs.	32
Aluminum Drag Hook			
1199	37½" Long		1

Four 5" platform type swivel casters (#C453).

Options:

"CL(B)", "MD", "PP(A)" — See page 75 for details.

- Transport and store 13" x 18 and 18" x 26" pans.

NEWAGE
INDUSTRIAL



Bulk Sheet Pan Dollies



50112

Model No.	Size W-H-D	Pan Capacity	Ship Lbs.
50112	27 ¾" x 73" x 28 ½"	140	68
Equipped with four, 8" x 2" plate type swivel casters (#C526).			

- Ideal for hotel, casino, hospital and correctional facilities.
- This unit will store and transport up to 140 sheet pans.
 - Designed to hold sheet pans at a backward angle to keep the stack from tipping forward, outside of the frame.
- Can be customized to meet your specific needs.
- Lifetime Guarantee against rust and corrosion.

NEWAGE
INDUSTRIAL



Chill Dollies

Model No.	Size W-L	Description	Ship Lbs.
1171	22 1/2" x 21 1/2"	Single Stack	18
1172	22 1/2" x 42 1/2"	Double Stack	21
1173	22 1/2" x 62 1/2"	Triple Stack	22
1174		Handle	8

Four 5" platform type casters— two swivel (#C450), two rigid (#C460)
Accepts Nestier®, Buckhorn® chillpac containers 20" x 24".

NS968	19" x 8" x 22 3/8"	Single Stack	16
Four 5" platform type casters (#C453) Accepts Nestier®, Buckhorn® chillpac containers 20" x 24".			

Options:

"CL(B)" — See page 75 for details.

- Heavy duty transport dollies...Ideal for cook-chill systems.
- Weight Capacity = 1000 lbs.
- Open base provides maximum air circulation.
- Lifetime Guarantee against rust and corrosion.



Super Dolly

Model No.	Size W-H-D	Wheel Size	Weight Capacity	Ship Lbs.
1181	24" x 10" x 29 1/2"	6"	2800 lbs.	30
1182	24" x 8" x 29 1/2"	5"	1000 lbs.	18

Four platform type casters - two swivel, two rigid.

#1181= 2 swivel (#C490) 2 rigid (#C500)

#1182 = 2 swivel (#C450) 2 rigid (#C460)

Options:

"B", "CL(C) (Model #1181), "CL(B) (Model #1182) - see page 75.

Aluminum Drag Hook

1199	37 1/2" Long	1
------	--------------	---



Don't Compromise...

CUSTOMIZE!



Proudly Made
In The U.S.A

New Age Industrial Corporation, Inc. • NewAgeIndustrial.com
phone: (800) 255-0104 or (785) 877-5121 • fax: (877) 877-7687 or (785) 877-2616

Bowl Dollies



95636

Model No.	Size W-H-D	Ring Diameter	Quart Size	Ship Lbs.
Mixer Bowl Dolly - NSF Approved.				
95636	26 $\frac{3}{4}$ " x 30 $\frac{3}{8}$ " x 26 $\frac{3}{4}$ "	20 $\frac{1}{4}$ " I.D.	80	34
98736	24 $\frac{3}{4}$ " x 30 $\frac{3}{8}$ " x 24 $\frac{3}{4}$ "	18 $\frac{1}{4}$ " I.D.	60	28
98737	29 $\frac{3}{8}$ " x 30 $\frac{3}{8}$ " x 29 $\frac{3}{8}$ "	22 $\frac{7}{8}$ " I.D.	140	29

Note: Unit Heights Do Not Include Bowls

Information is based on Hobart® mixing bowl sizes.

Four 5" plate type casters—two swivel (#C450) two w/ brake (#C455).

Options: "B" — See page 75 for details.



Mixer Bowl Dolly



99936

Model No.	Size W-H-D	Weight Capacity	Ship Lbs.
99936	14" x 7 $\frac{1}{16}$ " x 14"	800 lbs.	15

Four 3" platform casters (#C410).

Designed to hold an 40-120 quart bowl.

- Designed to make rolling heavy mixing bowls in and out of place an easy task, this rust proof unit is ideal for the kitchen/prep room atmosphere.



Anti-Slip Cover for Dunnage Racks



Model No.	Size D-L	Ship Lbs.
51101	20" x 36"	11
51102	20" x 48"	14.5
51103	20" x 60"	18

Fits Dunnage Rack with same D x L dimensions.

* Dunnage Rack sold separately.

- Raised tread, perforated top, has 3" O.C. Spacing
- Disrupted elevation = $\frac{3}{16}$ "
- Removable sheet nests over Dunnage Rack frame.
- All Aluminum, Guaranteed Rust Free!



Mobile Dunnage Storage

Model No.	Size D-H-L	Weight Capacity	Ship Lbs.
1201	20" x 8¼" x 25¾"	1000 lbs.	21
1211	20" x 8¼" x 31¾"	1000 lbs.	21
1202	20" x 8¼" x 37¾"	1000 lbs.	22
1200	20" x 8¼" x 43¾"	1000 lbs.	25
1203	20" x 8¼" x 49¾"	1000 lbs.	27
1212	20" x 8¼" x 61¾"	1000 lbs.	24
1208	Handle for 20" W Units Above		6
1213	24" x 8¼" x 25¾"	1000 lbs.	20
1214	24" x 8¼" x 31¾"	1000 lbs.	22
1204	24" x 8¼" x 37¾"	1000 lbs.	24
1205	24" x 8¼" x 43¾"	1000 lbs.	27
1206	24" x 8¼" x 49¾"	1000 lbs.	27
1207	24" x 8¼" x 61¾"	1000 lbs.	30
1174	Handle for 24" W Units Above		7.5

Four 5" plate type casters •

2- swivel w/ brake (#C455) • 2- rigid (#C460)

Options:

Heavy Duty Casters — Add "HD6" suffix to model #.

Four 6" plate type casters— (2) swivel w/ brake (#C495) • (2) rigid (#C500).

All Swivel Casters — Add "SW" suffix to model #.



Mobile Dunnage Rack
shown with, and without optional handle

- Transport and store product without having to load and unload it!
- Labor Saving!
- Lifetime Guarantee against rust and corrosion.



Stationary Dunnage Storage

Model No.	# of Laterals	Weight Capacity	Size D-H-L	Ship Lbs.
6017	4	2000 lbs.	20" x 8" x 36"	8
6018	4	2000 lbs.	20" x 8" x 48"	10
6019	4	1500 lbs.	20" x 8" x 60"	13
6004	4	2000 lbs.	20" x 12" x 36"	9
6005	4	2000 lbs.	20" x 12" x 48"	11
6006	4	1500 lbs.	20" x 12" x 60"	14
6014	5	2000 lbs.	24" x 8" x 36"	9
6015	5	2000 lbs.	24" x 8" x 48"	11
6016	5	1500 lbs.	24" x 8" x 60"	14
6008	5	2000 lbs.	24" x 12" x 36"	10
6009	5	2000 lbs.	24" x 12" x 48"	12
6010	5	1500 lbs.	24" x 12" x 60"	15



6000 SERIES - Dunnage Racks



Don't Compromise...

CUSTOMIZE!



DWG50958



Proudly Made
In The U.S.A

New Age Industrial Corporation, Inc. • NewAgeIndustrial.com
phone: (800) 255-0104 or (785) 877-5121 • fax: (877) 877-7687 or (785) 877-2616

Stationary Dunnage Storage



2000 SERIES - Dunnage Racks

- All feet are permanently sealed with welded aluminum caps... Not plastic.
- All welded aluminum racks keep product organized and off of the floor.
- Lifetime Guarantee against rust and corrosion.



Model No.	Size D-H-L	Weight Capacity	# of Laterals	Ship Lbs.
2001	18" x 8" x 36"	3000 lbs.	4	9
2002	18" x 8" x 48"	2500 lbs.	4	11
2003	18" x 8" x 60"	2000 lbs.	4	13
2029	18" x 12" x 24"	3200 lbs.	4	7
2020	18" x 12" x 36"	3000 lbs.	4	10
2021	18" x 12" x 48"	2500 lbs.	4	14
2022	18" x 12" x 60"	2000 lbs.	4	17
2017	20" x 8" x 36"	3000 lbs.	4	9
2018	20" x 8" x 48"	2500 lbs.	4	12
2019	20" x 8" x 60"	2000 lbs.	4	13
2052	20" x 12" x 30"	3000 lbs.	4	10
2004	20" x 12" x 36"	3000 lbs.	4	11
2054	20" x 12" x 42"	3000 lbs.	4	13
2005	20" x 12" x 48"	2500 lbs.	4	15
2006	20" x 12" x 60"	2000 lbs.	4	18
2031	24" x 8" x 24"	3000 lbs.	5	9
2014	24" x 8" x 36"	2500 lbs.	5	11
2015	24" x 8" x 48"	2500 lbs.	5	14
2016	24" x 8" x 60"	2000 lbs.	5	17
2032*	24" x 8" x 72"	4000 lbs.	5	20
2013	24" x 12" x 24"	2500 lbs.	5	9
2062	24" x 12" x 30"	2500 lbs.	5	11
2008	24" x 12" x 36"	2500 lbs.	5	15
2064	24" x 12" x 42"	2500 lbs.	5	15
2009	24" x 12" x 48"	2500 lbs.	5	21
2033	24" x 12" x 54"	2000 lbs.	5	17
2010	24" x 12" x 60"	2000 lbs.	5	24
2012*	24" x 12" x 72"	4000 lbs.	5	27
2026	30" x 12" x 36"	3000 lbs.	6	14
2027	30" x 12" x 48"	3000 lbs.	6	19
2028	30" x 12" x 60"	2500 lbs.	6	20
2007*	30" x 12" x 72"	2500 lbs.	6	27

* Models have 6 legs

Options:

Removable Aluminum Cover — *Call For Pricing*

Custom Sizes Available — *Call For Pricing*

Equipment Stand



50376

Model No.	Size W-H-D	Top Style	Ship Lbs.
50376	21 $\frac{3}{8}$ " x 30" x 28"	Stainless	33

- Ideal stand for mixers, grinders, slicers, etc.
- Heavy duty aluminum tube frame with removable stainless steel top.
- Reinforced top frame with center beam for added support.
- Shoe box type top nests on frame.
- Equipped with four, NSF Approved adjustable feet.
- Lifetime Guarantee against rust and corrosion.



Removable/Replaceable Top



Shown with Standard Lug / Tub



Shown with 18" x 26" Sheet Pan



Modular Equipment Stand



12448GSC



21524ES24P • 21524ES30PC

Model No.	Size D-H-L	Ship Lbs.
Stationary Unit		
12436GS	24" x 24" x 36"	27.5
12448GS	24" x 24" x 48"	32
12460GS	24" x 24" x 60"	37
12472GS	24" x 24" x 72"	45
13036GS	30" x 24" x 36"	31
13048GS	30" x 24" x 48"	37
13060GS	30" x 24" x 60"	50
13072GS	30" x 24" x 72"	55
Stationary Unit W/ Undershelf		
12436GSU	24" x 24" x 36"	37
12448GSU	24" x 24" x 48"	45
12460GSU	24" x 24" x 60"	51.5
12472GSU	24" x 24" x 72"	55
13036GSU	30" x 24" x 36"	43
13048GSU	30" x 24" x 48"	47
13060GSU	30" x 24" x 60"	62
13072GSU	30" x 24" x 72"	66
Mobile Unit		
12436GSC	24" x 24" x 36"	38
12448GSC	24" x 24" x 48"	40
12460GSC	24" x 24" x 60"	47
12472GSC	24" x 24" x 72"	52
13036GSC	30" x 24" x 36"	41
13048GSC	30" x 24" x 48"	50
13060GSC	30" x 24" x 60"	52
13072GSC	30" x 24" x 72"	59
Four 5" Stem Casters (#C440)		
Mobile Unit With Undershelf		
12436GSCU	24" x 24" x 36"	44
12448GSCU	24" x 24" x 48"	51
12460GSCU	24" x 24" x 60"	57
12472GSCU	24" x 24" x 72"	70
13036GSCU	30" x 24" x 36"	51
13048GSCU	30" x 24" x 48"	57
13060GSCU	30" x 24" x 60"	71
13072GSCU	30" x 24" x 72"	82

Four 5" Stem Casters (#C440).

Weight Capacity = 1000#



Model No.	Size D-H-L	Ship Lbs.
Adjustable Solid Shelves (2) - 400# capacity per shelf		
21524ES24P	15" x 24" x 24"	15
21530ES24P	15" x 24" x 30"	22
21536ES24P	15" x 24" x 36"	19
21542ES24P	15" x 24" x 42"	20
21548ES24P	15" x 24" x 48"	23
21824ES24P	18" x 24" x 24"	17
21830ES24P	18" x 24" x 30"	19.5
21836ES24P	18" x 24" x 36"	22
21842ES24P	18" x 24" x 42"	23.5
21848ES24P	18" x 24" x 48"	27.5
22024ES24P	20" x 24" x 24"	20
22030ES24P	20" x 24" x 30"	22
22036ES24P	20" x 24" x 36"	23.5
22042ES24P	20" x 24" x 42"	25.5
22048ES24P	20" x 24" x 48"	31
21524ES30P	15" x 30" x 24"	17
21530ES30P	15" x 30" x 30"	19
21536ES30P	15" x 30" x 36"	20
21542ES30P	15" x 30" x 42"	21
21548ES30P	15" x 30" x 48"	24
21824ES30P	18" x 30" x 24"	18
21830ES30P	18" x 30" x 30"	20.5
21836ES30P	18" x 30" x 36"	22.5
21842ES30P	18" x 30" x 42"	24.5
21848ES30P	18" x 30" x 48"	28.5
22024ES30P	20" x 30" x 24"	21
22030ES30P	20" x 30" x 30"	23
22036ES30P	20" x 30" x 36"	24.5
22042ES30P	20" x 30" x 42"	26
22048ES30P	20" x 30" x 48"	28.5
21524ES36P	15" x 36" x 24"	17
21530ES36P	15" x 36" x 30"	20
21536ES36P	15" x 36" x 36"	21
21542ES36P	15" x 36" x 42"	22.5
21548ES36P	15" x 36" x 48"	25
21824ES36P	18" x 36" x 24"	19
21830ES36P	18" x 36" x 30"	22
21836ES36P	18" x 36" x 36"	24.5
21842ES36P	18" x 36" x 42"	25.5
21848ES36P	18" x 36" x 48"	29.5
22024ES36P	20" x 36" x 24"	22
22030ES36P	20" x 36" x 30"	24
22036ES36P	20" x 36" x 36"	25
22042ES36P	20" x 36" x 42"	27
22048ES36P	20" x 36" x 48"	33

Options:

- **Casters (4):** Add "C" suffix to model #.
Swivel Stem Casters w/ brakes (#C440)
- **99301** - Set of 4 (C440) casters for replacement/retro-fit

Note: Casters add 6" to the overall height of the unit.



Proudly Made
In The U.S.A

New Age Industrial Corporation, Inc. • NewAgeIndustrial.com
phone: (800) 255-0104 or (785) 877-5121 • fax: (877) 877-7687 or (785) 877-2616

All Welded Shelving - H.D. Series



**H.D. Series Three Shelf Unit
w/ Optional "M6" Casters**
Casters are factory installed only.

All Welded Shelving - H.D. Series

- Built to organize larger, heavier loads.
- New Age uses the heaviest aluminum extrusion for maximum life and strength.
- Mobile units available — Factory installed only.
- All non-mobile units include adjustable feet.
- Lifetime Guarantee against rust and corrosion, superior for refrigerated environments.

Model No.	Size D-H-L	Shelf Laterals	Ship Lbs.
TWO SHELF UNIT - 34½" Shelf Clearance			
1021	20" x 48" x 36"	4	53
1030	20" x 48" x 42"	4	55
1022	20" x 48" x 48"	4	60
1023	20" x 48" x 60"	4	65
1024	20" x 48" x 72"	4	71
1025	24" x 48" x 36"	5	56
1031	24" x 48" x 42"	5	63
1026	24" x 48" x 48"	5	69
1027	24" x 48" x 60"	5	69
1028	24" x 48" x 72"	5	74
THREE SHELF UNIT - 22½" Shelf Clearance			
1041	20" x 60" x 36"	4	56
1050	20" x 60" x 42"	4	64
1042	20" x 60" x 48"	4	67
1043	20" x 60" x 60"	4	78
1044	20" x 60" x 72"	4	87
1045	24" x 60" x 36"	5	61
1051	24" x 60" x 42"	5	73
1046	24" x 60" x 48"	5	75
1047	24" x 60" x 60"	5	82
1048	24" x 60" x 72"	5	93
FOUR SHELF UNIT - 18½" Shelf Clearance			
1061	20" x 72" x 36"	4	65
1070	20" x 72" x 42"	4	80
1062	20" x 72" x 48"	4	83
1063	20" x 72" x 60"	4	91
1064	20" x 72" x 72"	4	111
1065	24" x 72" x 36"	5	71
1071	24" x 72" x 42"	5	81
1066	24" x 72" x 48"	5	85
1067	24" x 72" x 60"	5	102
1068	24" x 72" x 72"	5	117

MOBILE UNITS — FACTORY OPTIONS ONLY

6" Platform casters (#C490)

- Add "M6" suffix to model #.

5" Platform casters (#C450)

- Add "M5" suffix to model #.

Additional Adjustable Feet:

Model #0117

Options:

"CL(B)", "CL(C)", "PP(A)" - See page 75.



Weight Capacity = 1500 lbs. per shelf



All Welded Shelving - T-Bar Series

Model No.	Size D-H-L	Ship Lbs.
TWO SHELF UNIT - 34¼" Shelf Clearance		
1021TB	20" x 48" x 36"	55
1030TB	20" x 48" x 42"	57
1022TB	20" x 48" x 48"	67
1023TB	20" x 48" x 60"	73
1024TB	20" x 48" x 72"	77
1025TB	24" x 48" x 36"	56
1031TB	24" x 48" x 42"	63
1026TB	24" x 48" x 48"	69
1027TB	24" x 48" x 60"	76
1028TB	24" x 48" x 72"	80
THREE SHELF UNIT - 22¼" Shelf Clearance		
1041TB	20" x 60" x 36"	62
1050TB	20" x 60" x 42"	67
1042TB	20" x 60" x 48"	76
1043TB	20" x 60" x 60"	91
1044TB	20" x 60" x 72"	96
1045TB	24" x 60" x 36"	70
1051TB	24" x 60" x 42"	76
1046TB	24" x 60" x 48"	78
1047TB	24" x 60" x 60"	89
1048TB	24" x 60" x 72"	103
FOUR SHELF UNIT - 18¼" Shelf Clearance		
1061TB	20" x 72" x 36"	78
1070TB	20" x 72" x 42"	83
1062TB	20" x 72" x 48"	88
1063TB	20" x 72" x 60"	103
1064TB	20" x 72" x 72"	119
1065TB	24" x 72" x 36"	90
1071TB	24" x 72" x 42"	92
1066TB	24" x 72" x 48"	97
1067TB	24" x 72" x 60"	112
1068TB	24" x 72" x 72"	127

MOBILE UNITS — FACTORY OPTIONS ONLY

6" Platform casters (#C490)

- Add "M6" suffix to model #.

5" Platform casters (#C450)

- Add "M5" suffix to model #.

Additional Adjustable Feet:

Model #0117

Options:

"CL(B)", "CL(C)", "PP(A)" - See page 75.



T-Bar Series Three Shelf Unit w/ Optional "M5" Casters

Casters are factory installed only.

All Welded Shelving — T-Bar Series

- Each unit has easy-to-clean flat surfaces that aid in the easy-on and easy-off of smaller product with the strength to hold heavy product.
- Mobile units available — Factory installed only.
- These all welded units keep product organized and off of the floor while providing adequate air flow.
- New Age "T's" are 2¼" wide and spaced 1¾" apart, giving our T-Bar shelves the most surface area.
- All non-mobile units include adjustable feet.
- Lifetime Guarantee against rust and corrosion, superior for refrigerated environments.

NEW AGE
INDUSTRIAL



Weight Capacity = 1000 lbs. per shelf



Proudly Made
In The U.S.A

New Age Industrial Corporation, Inc. • NewAgeIndustrial.com
phone: (800) 255-0104 or (785) 877-5121 • fax: (877) 877-7687 or (785) 877-2616

Adjust-A-Shelf Shelving - H.D. Series



Make your unit mobile with easy to install, #C440 casters.

- All swivel with brakes.
- Can be installed any time.
- See page 61 for details.



Adjust-A-Shelf — H.D. Series

- With weight capacities at one ton (2000#) per shelf, these units will hold almost anything!
- Built To Organize Large, Heavy Loads.
- Lifetime Guarantee against rust and corrosion, superior for refrigerated environments.



Weight Capacity = 2000 lbs. per shelf

Model No.	Size D-L	# Of Laterals	Ship Lbs.
1530HD	15" x 30"	3	6.2
1536HD	15" x 36"	3	7
1542HD	15" x 42"	3	7.5
1548HD	15" x 48"	3	8.8
1554HD	15" x 54"	3	9.5
1560HD	15" x 60"	3	10.3
1566HD	15" x 66"	3	11.6
1572HD	15" x 72"	3	12
1830HD	18" x 30"	4	7
1836HD	18" x 36"	4	8.7
1842HD	18" x 42"	4	9
1848HD	18" x 48"	4	11.5
1854HD	18" x 54"	4	11.8
1860HD	18" x 60"	4	12.3
1866HD	18" x 66"	4	13.8
1872HD	18" x 72"	4	14.8
2030HD	20" x 30"	4	8.2
2036HD	20" x 36"	4	8.7
2042HD	20" x 42"	4	9.6
2048HD	20" x 48"	4	12.8
2054HD	20" x 54"	4	13.4
2060HD	20" x 60"	4	13.9
2066HD	20" x 66"	4	14.9
2072HD	20" x 72"	4	16.4
2096HD*	20" x 96"	4	19
2430HD	24" x 30"	5	9
2436HD	24" x 36"	5	10
2442HD	24" x 42"	5	11.6
2448HD	24" x 48"	5	13.2
2454HD	24" x 54"	5	15
2460HD	24" x 60"	5	17.3
2466HD	24" x 66"	5	18
2472HD	24" x 72"	5	19.6
2496HD*	24" x 96"	5	24
3030HD	30" x 30"	6	10.5
3036HD	30" x 36"	6	12.4
3048HD	30" x 48"	6	16.2

Constructed of 1½" x 1¾" extruded aluminum tubing.

* 96" Shelves Require 6 Posts.

See Page 61 For Posts & Accessories

Design Your Own Custom Unit

- All three series of "Adjust-A-Shelf" Shelving (the same length and width) are interchangeable.
- This allows you to custom make your own complete units with the type of shelving (H.D., T-Bar, Solid Brute) you need.
- Each unit assembles in minutes with only an allen wrench.

NEW AGE
INDUSTRIAL


NSF



Adjust-A-Shelf Shelving - T-Bar Series

Model No.	Size D-L	Ship Lbs.
1530TB	15" x 30"	6.25
1536TB	15" x 36"	7.4
1542TB	15" x 42"	8
1548TB	15" x 48"	10
1554TB	15" x 54"	10
1560TB	15" x 60"	11
1566TB	15" x 66"	12
1572TB	15" x 72"	13
1830TB	18" x 30"	7.5
1836TB	18" x 36"	8.8
1842TB	18" x 42"	9.5
1848TB	18" x 48"	11.5
1854TB	18" x 54"	12
1860TB	18" x 60"	13.6
1866TB	18" x 66"	14
1872TB	18" x 72"	16
2030TB	20" x 30"	8.4
2036TB	20" x 36"	9
2042TB	20" x 42"	10.2
2048TB	20" x 48"	12
2054TB	20" x 54"	13.3
2060TB	20" x 60"	14.2
2066TB	20" x 66"	15
2072TB	20" x 72"	16.8
2430TB	24" x 30"	9.5
2436TB	24" x 36"	10.5
2442TB	24" x 42"	12
2448TB	24" x 48"	14
2454TB	24" x 54"	15.5
2460TB	24" x 60"	17.5
2466TB	24" x 66"	18.6
2472TB	24" x 72"	20.6

See Page 61 For Posts & Accessories



Closeup: Underside of T-Bar Shelf.

Design Your Own Custom Unit

- All three series of "Adjust-A-Shelf" Shelving (the same length and width) are interchangeable.
- This allows you to custom make your own complete units with the type of shelving (H.D., T-Bar, Solid Brute) you need.
- Each unit assembles in minutes with only an allen wrench.



Make your unit mobile with easy to install, #C440 casters.

- All swivel with brakes.
- Can be installed any time.
- See page 61 for details.



Adjust-A-Shelf — T-Bar Series

- Unique T-Bar construction allows for easy-on, easy-off of product for easy storage while providing maximum air circulation.
- Wide T-Bar and 1¾" space between "T"s gives more welds per "T" and more shelf surface.
- Lifetime Guarantee against rust and corrosion, superior for refrigerated environments.

NEW AGE
INDUSTRIAL



Proudly Made
In The U.S.A

New Age Industrial Corporation, Inc. • NewAgeIndustrial.com
phone: (800) 255-0104 or (785) 877-5121 • fax: (877) 877-7687 or (785) 877-2616



Weight Capacity = 1500 lbs. per shelf

Adjust-A-Shelf Shelving - Solid Brute Series



Make your unit mobile with easy to install, #C440 casters.

- All swivel with brakes.
- Can be installed any time.
- See page 61 for details.



Model No.	Size D-L	Ship Lbs.
1530SB	15" x 30"	8
1536SB	15" x 36"	9.5
1542SB	15" x 42"	10.5
1548SB	15" x 48"	11.5
1554SB	15" x 54"	13
1560SB	15" x 60"	14
1830SB	18" x 30"	9
1836SB	18" x 36"	10
1842SB	18" x 42"	11.5
1848SB	18" x 48"	12.5
1854SB	18" x 54"	14
1860SB	18" x 60"	15
1872SB	18" x 72"	17.5
2030SB	20" x 30"	9
2036SB	20" x 36"	11
2042SB	20" x 42"	12.3
2048SB	20" x 48"	14
2054SB	20" x 54"	15.4
2060SB	20" x 60"	15.8
2066SB	20" x 66"	17.5
2072SB	20" x 72"	18
2430SB	24" x 30"	10.5
2436SB	24" x 36"	11.8
2442SB	24" x 42"	13.4
2448SB	24" x 48"	16.5
2454SB	24" x 54"	16.3
2460SB	24" x 60"	18.4
2466SB	24" x 66"	19.2
2472SB	24" x 72"	23.2

This solid shelf with reinforced bars provides a flat, smooth surface.

See Page 61 For Posts & Accessories

Adjust-A-Shelf - Solid Brute Series

- Unique removable top permits easy clean-up while the reinforced under-bracing gives added support.
- Lifetime Guarantee against rust and corrosion, superior for refrigerated environments.

Design Your Own Custom Unit

- All three series of "Adjust-A-Shelf" Shelving (the same length and width) are interchangeable.
- This allows you to custom make your own complete units with the type of shelving (H.D., T-Bar, Solid Brute) you need.
- Each unit assembles in minutes with only an allen wrench.



 **Weight Capacity = 800 lbs. per shelf**



Adjustable H.D. Shelf

Model No.	Weight Capacity	Size W-L	Ship Lbs.
C1836HD	1100 lbs.	18" x 36"	7
C1848HD	1100 lbs.	18" x 48"	7.5
C1860HD	1100 lbs.	18" x 60"	9.2
C2436HD	1100 lbs.	24" x 36"	7.75
C2448HD	1100 lbs.	24" x 48"	10.1
C2460HD	1100 lbs.	24" x 60"	12.5
C2472HD	500 lbs.	24" x 72"	14.7

See Page 61 For Posts & Accessories

- Built to accommodate heavier product and designed for use in all environments including freezers, coolers, as well as packaging and storage areas.
- Lifetime Guarantee against rust and corrosion.



H.D. Style Shelf



Adjustable T-Bar Shelf

Model No.	Weight Capacity	Size W-L	Ship Lbs.
C1836TB	900 lbs.	18" x 36"	7.4
C1848TB	900 lbs.	18" x 48"	8
C1860TB	900 lbs.	18" x 60"	10
C2436TB	900 lbs.	24" x 36"	8
C2448TB	900 lbs.	24" x 48"	10.6
C2460TB	900 lbs.	24" x 60"	13
C2472TB	500 lbs.	24" x 72"	16.3

See Page 61 For Posts & Accessories

- Built to accommodate smaller item and heavier loads for use in all environments including freezers, coolers, as well as packaging and storage areas.
- Lifetime Guarantee against rust and corrosion.



T-Bar Style Shelf



Adjustable Solid Shelf

Model No.	Weight Capacity	Size D-L	Ship Lbs.
1530S	400 lbs.	15" x 30"	6.3
1536S	400 lbs.	15" x 36"	6.9
1542S	400 lbs.	15" x 42"	7.6
1548S	400 lbs.	15" x 48"	8.9
1830S	400 lbs.	18" x 30"	7.3
1836S	400 lbs.	18" x 36"	7.3
1842S	400 lbs.	18" x 42"	9.2
1848S	400 lbs.	18" x 48"	11
2030S	400 lbs.	20" x 30"	8.5
2036S	400 lbs.	20" x 36"	8.8
2042S	400 lbs.	20" x 42"	9.8
2048S	400 lbs.	20" x 48"	13

Economical solid shelf with double thick 1/8" marine edge.

See Page 61 For Posts & Accessories

- Organizes Smaller, Lighter Product. Solid sheet, design permits easy clean-up and minimizes the mess of "leaky" products.
- One piece solid shelf with double thick 1/8" marine edge.



Solid Style Shelf

(one piece design)



Proudly Made
In The U.S.A

New Age Industrial Corporation, Inc. • NewAgeIndustrial.com
phone: (800) 255-0104 or (785) 877-5121 • fax: (877) 877-7687 or (785) 877-2616


Adjust-A-Shelf Shelving - Accessories



a. Floor Post Bracket



b. Wall Bracket



c. Pole Clip



f. Adjustable Foot



Model No.	Item Description	Ship Lbs.
Brackets		
a. NS496	Countertop/Floor Post Brackets	.5
b. NS885	Wall Brackets (pair): Secures Shelving to Wall	1
Attach shelving units to the floor or wall to meet the Seismic Requirements of most states.		
Pole Clips		
c. PC432	Common Pole Clips (pair) H.D. & T-Bar Shelves	.25
Clip two units together, shelf to shelf, and eliminate two posts.		
U-Braces		
d. 2036UB	U-Brace for 20" x 36" Shelves	4
2042UB	U-Brace for 20" x 42" Shelves	4.9
2048UB	U-Brace for 20" x 48" Shelves	5.5
2060UB	U-Brace for 20" x 60" Shelves	6.8
2436UB	U-Brace for 24" x 36" Shelves	5.1
2442UB	U-Brace for 24" x 42" Shelves	5.8
2448UB	U-Brace for 24" x 48" Shelves	6.5
2460UB	U-Brace for 24" x 60" Shelves	7.9
Adds extra support, keeping posts stable between large spans.		
Casters		
e. C440	5" Stem Type Casters w/ Brakes	2.5
99301	Set of (4) C440 casters 2/ Brakes	10
Casters are heavy duty, easily installed, and can be added in the field.		
Adjustable Feet		
f. 0116	Adjustable Feet	.5
Adjustable Feet are easily installed, and can be added in the field.		

Posts



g.

Capped aluminum pipe (1 1/16" o.d.).
Marked in 2" increments.

Model No.	Length	Ship Lbs.
12P	12"	.6
34P	34"	1.7
48P	48"	2.5
54P	54"	3
68P	68"	3.6
72P	72"	3.9
76P	76"	4
84P	84"	4.1
96P	96"	5

Design Your Own Custom Unit

- All three series of "Adjust-A-Shelf" Shelving (the same length and width) are interchangeable.
- This allows you to custom make your own complete units with the type of shelving (H.D., T-Bar, Solid Brute) you need.
- Each unit assembles in minutes with only an allen wrench.



HD Mobile Base



50311

Model No.	Size D-H-L	Weight Capacity	Ship lbs.
50310	24" x 9 3/8" x 36"	800 lbs.	30
50311	24" x 9 3/8" x 48"	800 lbs.	35
50312	24" x 9 3/8" x 60"	800 lbs.	40

Four 5" platform casters - two swivel (#C455), two rigid (#C460).

Options:

SIX WHEEL - ZERO TURNING — Add "X6" suffix to model #.

- Six 5" platform casters - four swivel (#C455), two rigid (#C460).



Model No.	Size D-L	Weight Capacity	# Of Hooks	Ship Lbs.
a. T-Bar Wall Shelf W/ Hanger and Hooks				
1121PR	20" x 36"	700 lbs.	6	16.3
1122PR	20" x 48"	600 lbs.	7	22
1123PR	20" x 60"	500 lbs.	8	26
0119	Additional Hook (1)			1.2

Adjustable hooks slide easily into place to fit your needs.

Model No.	Size D-L	Weight Capacity	Ship Lbs.
b. T-Bar Wall Shelves			
1121	20" x 36"	700 lbs.	14
1122	20" x 48"	600 lbs.	18
1123	20" x 60"	500 lbs.	22
1124	24" x 60"	500 lbs.	25

Heavy duty shelf design for larger, heavier product.

c. Solid Wall Shelves- REGULAR 18 GA			
NS675	12" x 24"	200 lbs.	5
1125	12" x 36"	150 lbs.	7
1126	12" x 48"	125 lbs.	9
1127	12" x 60"	100 lbs.	10

For lighter loads and smaller product, contains spills.

c. Solid Wall Shelves - HEAVY DUTY 12 GA			
NS675A	12" x 24"	300 lbs.	5.5
1125A	12" x 36"	300 lbs.	8
1126A	12" x 48"	225 lbs.	11
1127A	12" x 60"	150 lbs.	12.5
NS753	15" x 24"	300 lbs.	5
NS943	15" x 36"	300 lbs.	9.6
NS793	15" x 48"	225 lbs.	12
94249	15" x 60"	150 lbs.	15
95634	18" x 24"	300 lbs.	9
92093	18" x 36"	300 lbs.	11.4
92094	18" x 48"	225 lbs.	13.7
94136	18" x 60"	150 lbs.	15

Thick, 12 gauge for heavier loads. Performs like stainless steel.

OPTIONS: Extra Undershelf Brackets — *Call Factory*

d. Inverted Shelves - T-Bar			
97285	20" x 36"	500 lbs.	13.3
97286	20" x 48"	500 lbs.	18
97287	20" x 60"	500 lbs.	21


e. Slanted T-Bar Wall Shelves			
97102	21" x 48"	600 lbs.	26



T-Bar Wall Shelf With Hanger and Hooks



T-Bar Wall Shelf



Solid Wall Shelf - H.D. & Standard



Inverted Shelf



Slanted T-Bar Wall Shelf




"Quick Change" - Cantilever Shelving



The above free-standing unit consists of the following:

- | | |
|----------------------|---|
| a. H.D. Shelf (2) | e. Common Upright (1) |
| b. T-Bar Shelf (2) | f. Left Upright (1) |
| c. Solid Shelf (2) | g. Horizontal Brace (2 pair) |
| d. Right Upright (1) | Note: One pair required per shelving section. |



Model No.	Size D-L	Weight Capacity	Ship Lbs.
a. H.D. Bar Shelf			
2501	18" x 36"	900 lbs.	6.5
2502	18" x 42"	900 lbs.	8.5
2503	18" x 48"	900 lbs.	9
2505	18" x 60"	900 lbs.	11.2
2511	24" x 36"	900 lbs.	8.3
2512	24" x 42"	900 lbs.	8.7
2513	24" x 48"	900 lbs.	9.2
2515	24" x 60"	900 lbs.	11
Full radius front edge.			
b. T-Bar Shelf			
2521	18" x 36"	900 lbs.	9.5
2522	18" x 42"	900 lbs.	10.5
2523	18" x 48"	900 lbs.	11.8
2525	18" x 60"	900 lbs.	14.6
2531	24" x 36"	900 lbs.	11
2532	24" x 42"	900 lbs.	13.5
2533	24" x 48"	900 lbs.	14.5
2535	24" x 60"	900 lbs.	17
Ideal for smaller product as well as heavier loads.			
c. Solid Reinforced Shelf			
2541	18" x 36"	700 lbs.	9.5
2542	18" x 42"	700 lbs.	10.5
2543	18" x 48"	700 lbs.	12
2545	18" x 60"	700 lbs.	14.6
2551	24" x 36"	700 lbs.	11
2552	24" x 42"	700 lbs.	12
2553	24" x 48"	700 lbs.	13
2555	24" x 60"	700 lbs.	19
For smaller products and spill control.			

Ordering Instructions

- Determine the number of shelving sections in the shelving run – Find type, number, and depth of shelves required per section. **a, b, c**
- Add a pair of horizontal braces per shelving section. **g**
- Shelving sections 3', 4', and 5' long require two uprights, one left and one right. **d, f**
- Run lengths over 5' require a left and right upright on the ends and a common upright between each section. (as shown in the picture above). **d, e, f**

Note

- Shelving runs are described in one foot increments. The actual length of a run is an additional 2¾", i.e. a typical 7' run is actually 7' 2¾" (86 ¾") long.

Model No.	Item Description	Ship Lbs.
g. HORIZONTAL BRACE — Free-Standing Units Only		
2581	36" Horizontal Brace (2)	3.9
2582	42" Horizontal Brace (2)	4.8
2583	48" Horizontal Brace (2)	5.8
2585	60" Horizontal Brace (2)	6.7
FREE-STANDING UPRIGHTS — 72" in Height		
f. 2561	21" Left Upright • 18" Shelves	12.5
d. 2563	21" Right Upright • 18" Shelves	12.5
e. 2565	21" Common Upright • 18" Shelves	14
f. 2571	27" Left Upright • 24" Shelves	13.5
d. 2573	27" Right Upright • 24" Shelves	13.5
e. 2575	27" Common Upright • 24" Shelves	14.5
Uprights have locking tabs spaced on 12" centers and an extended leg with adjustable foot.		



"Quick Change" - Cantilever Shelving

a.




H.D. Bar Shelf • 900# Wt. Capacity

b.



T-Bar Shelf • 900# Wt. Capacity

c.



Solid Brute Shelf • 700# Wt. Capacity



Wall/Ceiling Mounted Unit

Ordering Instructions

- Determine the number of shelving sections in the shelving run — Find type, number, and depth of shelves required per section.
- Horizontal braces are not needed.
- Shelving sections 3', 4', and 5' long require two uprights, one left and one right.
- Run lengths over 5' require a left and right upright on the ends and a common upright between each section.
(as shown in the picture above)

Note

- Upright height (length) is determined by ceiling height.
- Actual shelf depth from the wall to the front of the shelf is 3" more than the listed shelf depth.
- The actual shelving run length is found by adding 6½" to the sum of the shelf lengths in a shelving run — a typical 7' shelving run which uses a 36" shelf length and a 48" shelf length is actually 90½" long (7' 6½").

Model No.	Item Description	Ship Lbs.
Wall & Ceiling Mounted Uprights		
95403	72" Left Upright	9
95404	72" Right Upright	9
95405	72" Common Upright	10.5
97753	84" Left Upright 11	10.5
97755	84" Right Upright	10.5
97754	84" Common Upright	11.4
95631	96" Left Upright 13	12.5
95632	96" Right Upright	12.5
95633	96" Common Upright	13
96617	108" Left Upright	14.5
96618	108" Right Upright	14.5
96619	108" Common Upright	15

Uprights have locking tabs spaced on 12" centers.



Proudly Made
In The U.S.A

New Age Industrial Corporation, Inc. • NewAgeIndustrial.com
phone: (800) 255-0104 or (785) 877-5121 • fax: (877) 877-7687 or (785) 877-2616

Mega Shelving



NS933

Model No.	Size D-H-L	No. Of Shelves	Ship Lbs.
Complete Units			
31842TT7	18" x 76" x 42"	3	49
NS933	18" x 76" x 60"	3	71
NS475	18" x 76" x 72"	3	73
1288	18" x 76" x 80"	3	78
1289 *	18" x 76" x 93"	3	98
MEGA Shelves Only - Posts (pg61) **Customize Your Own Units**			
94273	18" x 3" x 60"	1	14.4
95410	18" x 3" x 72"	1	16.5
94274	18" x 3" x 80"	1	21
94275 *	18" x 3" x 93"	1	23
Wall Protectors - Not NSF Approved.			
94029	18" x 2" x 60"		7.5
1872UB	18" x 2" x 72"		5.4
94030	18" x 2" x 80"		9
94031 *	18" x 2" x 93"		10

* 93" Shelves Require Six Posts.

Models 31842TT7, NS475, 95410 & 1872UB Are Not NSF Approved.



Double-Deep Mega Shelving



51171



H.D. Shelf Closeup

Model No.	Size D-H-L	No. Of Shelves	Ship Lbs.
Complete Units			
51169	34" x 84" x 42"	3	87.4
51170	34" x 84" x 54"	3	103.9
51171	34" x 84" x 60"	3	117
51172	34" x 84" x 72"	3	181
51173	34" x 84" x 80"	3	206
51174	34" x 84" x 93"	3	226
MEGA Shelves Only - Posts (pg.61) **Customize Your Own Units**			
51019	34" x 42"	1	27
51020	34" x 54"	1	35
51021	34" x 60"	1	42
51022	34" x 72"	1	50
51023*	34" x 80"	1	49
51024*	34" x 93"	1	57
Top Shelves - Lite T-Bar			
51025	34" x 42"	1	17
98951	34" x 54"	1	21.5
98953	34" x 60"	1	24
50723	34" x 72"	1	27
51026*	34" x 80"	1	31
51027*	34" x 93"	1	35

* Shelves Require Six Posts.



Stainless Steel Top Tables



Solid Stainless Steel Top



**Stainless Steel Top
With Backsplash**



**Stainless Steel Top
w/ Backsplash & Undershelf**

Model No.	Size D-H-L	Ship Lbs.	Model No. Undershelf	Ship Lbs.
Solid Stainless Steel Top (No Backsplash)				
24SS36KD	24" x 35½" x 36"	46	24US36KD	8
24SS48KD	24" x 35½" x 48"	59	24US48KD	11
24SS60KD	24" x 35½" x 60"	74	24US60KD	14
24SS72KD	24" x 35½" x 72"	81	24US72KD	17
24SS84KD	24" x 35½" x 84"	112	24US84KD	19
24SS96KD	24" x 35½" x 96"	116	24US96KD	22
30SS36KD	30" x 35½" x 36"	51	30US36KD	10
30SS48KD	30" x 35½" x 48"	63	30US48KD	13
30SS60KD	30" x 35½" x 60"	71	30US60KD	17
30SS72KD	30" x 35½" x 72"	87	30US72KD	20
30SS84KD	30" x 35½" x 84"	101	30US84KD	23
30SS96KD	30" x 35½" x 96"	114	30US96KD	27
Stainless Steel Top w/ 6" Backsplash				
24SSB36KD	24" x 35½" x 36"	49	24USB36KD	8
24SSB48KD	24" x 35½" x 48"	58	24USB48KD	11
24SSB60KD	24" x 35½" x 60"	69	24USB60KD	14
24SSB72KD	24" x 35½" x 72"	76	24USB72KD	17
24SSB84KD	24" x 35½" x 84"	85	24USB84KD	19
24SSB96KD	24" x 35½" x 96"	95	24USB96KD	22
30SSB36KD	30" x 35½" x 36"	55	30USB36KD	10
30SSB48KD	30" x 35½" x 48"	65	30USB48KD	13
30SSB60KD	30" x 35½" x 60"	76	30USB60KD	17
30SSB72KD	30" x 35½" x 72"	86	30USB72KD	20
30SSB84KD	30" x 35½" x 84"	98	30USB84KD	23
30SSB96KD	30" x 35½" x 96"	108	30USB96KD	27

- All the strength and durability of stainless steel at the cost of aluminum.
- Easy to clean top and frame.
- Units come with removable 16 G.A. type 304 stainless steel tops.
- Easily adjustable safety feet provide added stability and easy leveling.
- All models are shipped knocked down to reduce freight charges and damages.
- 36" Deep sizes are available
— Contact The Factory For Pricing.
- Optional aluminum undershelves available for all models.
- Lifetime Guarantee against rust and corrosion.



Poly Top Tables



- All the strength and durability of stainless steel at the cost of aluminum.
- Easy to clean top and frame.
- Units have removable full $\frac{5}{8}$ " thick HDPE tops.
- Easily adjustable safety feet provide added stability and easy leveling.
- All models are shipped knocked down to reduce freight charges and damages.
- 36" Deep sizes are available
– Contact The Factory For Pricing.
- Optional aluminum undershelves available for all models.
- Lifetime Guarantee against rust and corrosion.



Model No.	Size D-H-L	Ship Lbs.	Model No. Undershelf	Ship Lbs.
Solid Poly Top (No Backsplash)				
24P36KD	24" x 35½" x 36"	50	24US36KD	8
24P48KD	24" x 35½" x 48"	59	24US48KD	11
24P60KD	24" x 35½" x 60"	73	24US60KD	14
24P72KD	24" x 35½" x 72"	86	24US72KD	17
24P84KD	24" x 35½" x 84"	99	24US84KD	19
24P96KD	24" x 35½" x 96"	106	24US96KD	22
30P36KD	30" x 35½" x 36"	55	30US36KD	10
30P48KD	30" x 35½" x 48"	71	30US48KD	13
30P60KD	30" x 35½" x 60"	80	30US60KD	17
30P72KD	30" x 35½" x 72"	100	30US72KD	20
30P84KD	30" x 35½" x 84"	104	30US84KD	23
30P96KD	30" x 35½" x 96"	115	30US96KD	27
Poly Top w/ 6" Stainless Steel Backsplash				
24PBS36KD	24" x 35½" x 36"	60	24US36KD	8
24PBS48KD	24" x 35½" x 48"	68	24US48KD	11
24PBS60KD	24" x 35½" x 60"	73.5	24US60KD	14
24PBS72KD	24" x 35½" x 72"	101	24US72KD	17
24PBS84KD	24" x 35½" x 84"	106	24US84KD	19
24PBS96KD	24" x 35½" x 96"	111	24US96KD	22
30PBS36KD	30" x 35½" x 36"	60	30US36KD	10
30PBS48KD	30" x 35½" x 48"	85	30US48KD	13
30PBS60KD	30" x 35½" x 60"	97	30US60KD	17
30PBS72KD	30" x 35½" x 72"	108	30US72KD	20
30PBS84KD	30" x 35½" x 84"	120	30US84KD	23
30PBS96KD	30" x 35½" x 96"	132	30US96KD	27



Table Mount Cantilever Shelves

Model No.	Item Description	Ship Lbs.
99819	12" x 24" SS Shelf, Posts, & Brackets	17
99820	12" x 24" SS Shelf	11
99653	12" x 36" SS Shelf, Posts & Brackets	25
99654	12" x 36" SS Shelf	16
99821	12" x 48" SS Shelf, Posts & Brackets	34
99822	12" x 48" SS Shelf	22
99823	12" x 60" SS Shelf, Posts & Brackets	43
99824	12" x 60" SS Shelf	28
99825	12" x 72" SS Shelf, Posts & Brackets	51
99826	12" x 72" SS Shelf	37

- Adjustable cantilever stainless steel top shelves.
- 36" posts adjust to fit your height requirements.
- Stainless steel nesting shelf top with 1" backslash is removable for easy cleaning.
- Heavy duty aluminum posts and shelf frames.
- Additional cantilever shelves can be added at any time.

NEW AGE
INDUSTRIAL
NEW AGE




#30SS36KD Table
#99653 SS Shelf, Posts & Bracket (kit)
#99654 SS Shelf (optional extra shelf)



DWG50569



Adjustable posts and shelves bolt easily to table mounting plate.



Removable stainless steel shelf top.



Proudly Made
In The U.S.A

New Age Industrial Corporation, Inc. • NewAgeIndustrial.com
phone: (800) 255-0104 or (785) 877-5121 • fax: (877) 877-7687 or (785) 877-2616

Table Accessories



Table Mount Organizer Rack

Organizer Rack Divider

Paper Holder

Backsplash

Drawer

Undershelf (pg 66-67)

Model No.	Item Description	Size	Ship Lbs.
Table Accessories			
1375	Paper Holder.	12" x 5" x 31"	3
1376	Platter Holder	30" x 24"	17
1377	Drawer/Hardware	15" x 18"	10
1379	S.S. Backsplash 6" x 6"	36"	14
1380	S.S. Backsplash 6" x 6"	48"	16
1381	S.S. Backsplash 6" x 6"	60"	19
1382	S.S. Backsplash 6" x 6"	72"	22
1383	S.S. Backsplash 6" x 6"	84"	25
1384	S.S. Backsplash 6" x 6"	96"	28
999	(4) Casters, 5" Stem Type For KD Tables		10

#1376 Fits 30" wide tables only

Note: Casters Are Factory Installed Only

NEW AGE
INDUSTRIAL
NEW AGE

Packaging Rack/Organizer



Wall Mount Organizer

- Structural aluminum mesh creates back and base.
- Allows easy cleaning.



Ceiling Mount Organizer - "L"

- Structural aluminum mesh with "L" type shelf, vertically adjustable telescoping mount.



Ceiling Mount Organizer - "T"

- Structural aluminum mesh with "T" type shelf, vertically adjustable telescoping mount.
- Storage on front and back of unit.

Model No.	Size D-H-L	Ship Lbs.
Table Mount Organizer Racks		
120T	15" x 21¼" x 36"	16
1371T	15" x 21¼" x 48"	24
1372T	15" x 21¼" x 60"	21
1373T	15" x 21¼" x 72"	22
1374T	15" x 21¼" x 96"	27
1375T	15" x 21¼" x 120"	30
Wall Mount Organizer Racks		
120W	15" x 21¼" x 36"	11
1371W	15" x 21¼" x 48"	14
1372W	15" x 21¼" x 60"	18
1373W	15" x 21¼" x 72"	19
1374W	15" x 21¼" x 96"	22
1375W	15" x 21¼" x 120"	29
Ceiling Mount Organizer Racks - "L" Type		
1373CL	15" x 21¼" x 72"	25
1374CL	15" x 21¼" x 96"	28
Ceiling Mount Organizer Racks - "T" Type		
1373CT	29" x 21¼" x 72"	36
1374CT	29" x 21¼" x 96"	41

All Organizers Include Mounting Brackets.

Options:

#1378 Organizer Rack Divider.


NEW AGE
INDUSTRIAL
NEW AGE



Aluminum Cove Baseboard

Model No.	Length	Height	Ship Lbs.
9787C	96"	5"	4.65

- Solid anodized aluminum keeps its good looks and cleans up with just soap and water.
- Use instead of quarry tile or vinyl.
- Due to its natural propensity to ward off rust and corrosion, this baseboard is perfect for any type of atmosphere.
- Easy to install.



Aluminum Subway Grating


Model No.	Width	Weight (lineal ft.)
ASG12	12"	4
ASG15	15"	6
ASG18	18"	7
ASG21	21"	8
ASG24	24"	9

SOLD PER LINEAL FOOT.

Construction: These units are fabricated from all-welded aluminum. The vertical bars are 1/4" thick, 1" high, spaced on 1" centers (3/4" between bars); support rods 7/16" diameter, spaced 3" from each end (widths over 12" require a third support rod which is centered).

Maximum length per section is 18".

Additional Sizes Available — *Contact the factory for details.*



Corner Guards

Model No.	Length	Ship Lbs.
2" x 2" Wings 90°		
97873	36"	1.5
97874	48"	1.9
97875	60"	5
97876	72"	5.5
3" x 3" Wings 90°		
97877	36"	3.5
97878	48"	3
97879	60"	5.5
97880	72"	6

.080" Thick Aluminum Sheet.

- Can be used as an inside or outside protector.
- Easy to install.



Aluminum Security Fence

Units Are Mounted To The Floor *and* The Ceiling




Security Fence • Left Hinge

Call New Age at 800-255-0104 for information and pricing on custom units.

- Will not corrode like wire fencing.
- Additional Locking Options Available - Contact the factory.

Standard units are those that fall between these parameters, with a center door:

Width = 68"-116"
Height = 88" - 110"



Note: Actual fence width is 2" less than the opening width.

Each fence needs a custom quote. When requesting a Security Fence, we need the **WIDTH & HEIGHT** of the opening for the fence along with the **HINGE POSITION** (left or right). If there are special conditions such as a Ceiling Mounted Condenser or some other object that would require the fence to be modified, we need these dimensions to quote the fence.

Mat Cart



99360



51087

Model No.	Size W-H-D	Weight Capacity	Ship Lbs.
All Welded			
99360	41½" x 40" x 27½"	500 lbs.	40
Four 5" plate type swivel casters two (#C450), two with brake (#C455).			
Knocked Down			
51087	24" x 45¼" x 36"	500 lbs.	37
Four 5" plate type casters , swivel with brake (#C455).			

- Labor saving mobile mat carts keep mats off of the floor for easy, efficient cleaning.
- Hooks secure perforated mats for storage and cleaning.
- Center horizontal bars hold solid mats. (*all welded unit only*)
- Open design allows use of waste container. (*K.D. model only*)
- Ideal for power washing mats on the cart.
- Lifetime Guarantee against rust and corrosion.

NEW AGE
INDUSTRIAL
NEW AGE



Aluminum Security Cage

Model No.	Size W-H-D	Interior Shelves	Shelf Size	Clear Space	Lock Type	Ship Lbs.
Mobile Security Cage						
97621	49" x 71" x 26 $\frac{3}{4}$ "	3	23 $\frac{1}{2}$ " x 45 $\frac{3}{4}$ "	19"	Hasp	170
Equipped with four, 5" plate type casters (#C450).						
99475	49" x 68 $\frac{3}{4}$ " x 26 $\frac{3}{4}$ "	3	23" x 45 $\frac{3}{4}$ "	18"	Hasp	257
Equipped with four 8" plate type pneumatic casters - two rigid (#C516), two swivel (#C519)						
99814	57 $\frac{1}{4}$ " x 74 $\frac{1}{2}$ " x 28 $\frac{1}{4}$ "	4	24 $\frac{1}{2}$ " x 52"	14 $\frac{1}{4}$ "	Top Latch with Hasp	376
Equipped with four 8" plate polyurethane type casters - two rigid (#C527), two swivel w/ brake (#421).						
Stationary Security Cage						
97846	48" x 72" x 24"	4	22" x 45"	14"	Hasp	155
Equipped with four adjustable feet (#0117).						
Solid Security Cage						
98167	49" x 72" x 26"	3	24" x 45"	19"	Lever	190
Equipped with four, 5" plate type casters (#C450).						
99551	37 $\frac{1}{4}$ " x 73" x 26"	4	22 $\frac{1}{2}$ " x 35"	Adj.	Hasp	175
Equipped with four, 5" x 2" casters - two rigid (#C463), two swivel w/ brake (#C462).						

Options:

"PP(A)" — See page 75 for details.

- Provides safe, lockable security of valuable and/or dangerous materials.
 - Ideal "emergency box" for schools
 - Use for chemical storage
- Equipped with double doors with a stainless steel hasp and replaceable stainless steel hinges.
- All welded aluminum construction.
- Lifetime Guarantee against rust and corrosion.

NEWAGE
INDUSTRIAL
NEWAGE



97621



99475



99814



99551



98167



97846

Don't Compromise...

CUSTOMIZE!



DWG99214



DWG50571



DWG50699PP



DWG99380



Proudly Made
In The U.S.A

New Age Industrial Corporation, Inc. • NewAgeIndustrial.com
phone: (800) 255-0104 or (785) 877-5121 • fax: (877) 877-7687 or (785) 877-2616

Arched Ramp — Pair

Model #	Size	Rung Spacing	Weight Cap.	Lbs.
3770	12" x 77"	3"	1500 lbs.	25
3770W	12" x 77"	6"	1500 lbs.	20
3771	12" x 89"	3"	1500 lbs.	30
3771W	12" x 89"	6"	1500 lbs.	26

Comes equipped with (2) safety straps and (4) vinyl tips.



Wide Rung Spacing — Arched Folding Ramp — Pair

Model #	Size (in use)	Size (folded)	Rung Spacing	Weight Cap.	Lbs.
3784	12" x 76½"	44" Long	6½"	1500 lbs.	28

Comes equipped with (2) safety straps and (4) vinyl tips.



Narrow Rung Spacing — Arched Folding Ramp — Single

Model #	Size (in use)	Size (folded)	Rung Spacing	Weight Cap.	Lbs.
3783	9" x 76½"	40" Long	3½"	350 lbs.	12
3771F	12" x 86½"	45" Long	2½"	1000 lbs.	25

Comes equipped with (1) safety straps and (2) vinyl tips.



Bi-Fold— Hinged Ramp

Model #	Size (in use)	Size (folded)	Rung Spacing	Weight Cap.	Lbs.
3765	44" x 71"	22½" Wide	5½"	1500 lbs.	28
3768	48" x 72½"	24¾" Wide	5½"	1500 lbs.	29
3763	50" x 81"	25½" Wide	5½"	1500 lbs.	30

Comes equipped with (2) safety straps and (4) vinyl tips.



Tri-Fold — Hinged Ramp

Model #	Size (in use)	Size (folded)	Rung Spacing	Weight Cap.	Lbs.
3769	50" x 71"	18" Wide	5½"	1500 lbs.	28

Comes equipped with (2) safety straps and (4) vinyl tips.



Heavy Duty Folding Ramp — Each

Model #	Size (in use)	Size (folded)	Rung Spacing	Weight Cap.	Lbs.
3789F	18" x 88½"	45" Long	5½"	2400 lbs/ pr	44

Comes equipped with (2) safety straps. (Pair required to load 4-Wheel vehicles)



Proudly Made
In The U.S.A

New Age Industrial Corporation, Inc. • NewAgeIndustrial.com
phone: (800) 255-0104 or (785) 877-5121 • fax: (877) 877-7687 or (785) 877-2616

“B” - Corner Bumpers (4) • Add “B” suffix to the model #.

Non-marking gray rubber, mounted to the corners of the unit's base.

Note: This option adds 2" to the width and depth of the unit.

Corner bumpers available on full frame units only. Check specific model options for availability.



“CL” - Caster Locks (2)

(A) 5" stem caster $7/16$ " dia. — Add “CL” suffix to the model #.

(B) 5" platform caster — Add “CL” suffix to the model #.

(C) 6" platform caster — Add “CL” suffix to the model #.

(D) 6" platform K-Urethane caster — Add “CL” suffix to the model #.



“E” - Solid Base • Add “E” suffix to the model #.

Solid aluminum sheet welded to the top of the unit's base.

MUST be factory installed.



“M6” - Caster Upgrade • Add “M6” suffix to the model #.

Upgrade from 5" platform type casters to 6" platform type casters. May change height of racks.

“MD” - Medical Caster Upgrade • Add “MD” suffix to the model #.

Upgrade to 5" medical grade casters - two total lock, two directional lock.

*** Caster upgrades are not available for all products. ***



“PB” - Perimeter Bumpers • Add “PB” suffix to the model #.

Non-marking gray rubber strip, usually affixed around the unit's base.

Note: This option adds 2" to the width and depth of the unit.

MUST be factory installed.



“PP” - Prison Package

(A) Tamper Proof Screws — Add “PP” suffix to the model #.

(B) Tamper Proof Screws, Welded Hinges, Extra Interior Bracing (reduces pan capacity), 6" Caster Upgrade, Padlock Holes in Door — Add “PP” suffix to the model #.

(C) Tamper Proof Screws / All Welded Handle — Add “PP” suffix to the model #.



“PS” - Pan Stop • Add “PS” suffix to the model #.

Aluminum strap welded to the rear of the unit — Prevents pans from pushing off the back of the unit.

MUST be factory installed.



“VB” - Vertical Bumpers (4) • Add “VB” suffix to the model #.

Non-marking black rubber strips, usually 8" long, mounted near the bottom of the unit's uprights.

Note: This option adds 1" to the width and depth of the unit.



#1359 - Rack Cover (Clear, 12 mil.) • 23"W x 64"H x 28"D

Clear for product visibility.

Two full zippers on 23" side.



Model	Size	Caster Type	Description	Wheel Material	Weight Cap. (lbs.)	No. or Hole Pattern
C405	3" x 7/16"	Stem	Swivel	Polyurethane Wheel	125	7/16" Stem
C410	3" x 1 3/8"	Plate	Swivel	Polyolefin Wheel	275	1 3/4" x 3"
C421	8" x 2"	Plate	Swivel w/ brake	Polyolefin Hub, Polyurethane Tread	900	3" x 3"
C440	5" x 1 3/8"	Stem	Swivel w/ brake	Polyolefin Wheel	300	1" Stem
C450	5" x 1 3/8"	Plate	Swivel	Polyolefin Hub, Polyurethane Tread	250	1 3/4" x 3"
C453	5" x 1-1/4"	Plate	Swivel	Polyolefin Hub, Polyurethane Tread	225	1 3/4" x 3"
C455	5" x 1 3/8"	Plate	Swivel w/ brake	Polyolefin Hub, Polyurethane Tread	250	1 3/4" x 3"
C460	5" x 1 3/8"	Plate	Rigid	Polyolefin Hub, Polyurethane Tread	250	1 3/4" x 3"
C461	5" x 2"	Plate	Swivel	Polyolefin Hub, Polyurethane Tread	800	3" x 3"
C462	5" x 2"	Plate	Swivel w/ brake	Polyolefin Hub, Polyurethane Tread	800	3" x 3"
C463	5" x 2"	Plate	Rigid	Polyolefin Hub, Polyurethane Tread	800	3" x 3"
C464	5" x 2"	Plate	Rigid w/ brake	Polyolefin Hub, TPR Tread	350	3" x 3"
C469	8" x 2"	Plate	Rigid w/ Hex Brake	Polyurethane Wheel	1200	3" x 3"
C480	5" x 1"	Stem	Swivel	Polyolefin Wheel	135	7/16" Stem
C482	5" x 1 3/8"	Stem	Swivel	Polyolefin Hub, Polyurethane Tread	250	7/16" Stem
C485	5" x 1"	Stem	Swivel w/ brake	Polyolefin Wheel	135	7/16" Stem
C490	6" x 2"	Plate	Swivel	Polyolefin Wheel	700	3" x 3"
C495	6" x 2"	Plate	Swivel w/ brake	Polyolefin Wheel	700	3" x 3"
C500	6" x 2"	Plate	Rigid	Polyolefin Wheel	700	3" x 3"
C510	6" x 2"	Plate	Swivel	Polyurethane Wheel	700	3" x 3"
C511	6" x 2"	Plate	Swivel w/ brake	Polyurethane Wheel	700	3" x 3"
C513	6" x 2"	Plate	Swivel	TPR "Softie" A70	800	3" x 3"
C514	6" x 2"	Plate	Rigid	TPR "Softie" A70	800	3" x 3"
C516	8" x 2"	Plate	Swivel	Pneumatic	300	3" x 3"
C517	6" x 2"	Plate	Swivel w/ brake	TPR "Softie" A70	800	3" x 3"
C518	6" x 2"	Plate	Rigid	Polyolefin Hub, Polyurethane Tread	700	3" x 3"
C519	8" x 2"	Plate	Swivel w/ brake	Pneumatic	300	3" x 3"
C526	8" x 2"	Plate	Swivel	Polyolefin Hub, Polyurethane Tread	500	3" x 3"
C527	8" x 2"	Plate	Rigid	Polyolefin Hub, Polyurethane Tread	500	3" x 3"
C559	10" x 3 1/2"	Axle	Flat Free	Steel Hub, Non-scutt Polyurethane	400	5/8" DIA
C560	10" x 3 1/2"	Axle	Pneumatic	Steel Hub / 4-ply Rubber	400	5/8" DIA
C568	5" x 2 3/8"	Axle	Multi-Directional	Polyolefin Hub, Polyurethane Tread	200	10mm DIA
C598	8" x 2"	N/A	Wheel Only	Polyolefin Hub/Polyurethane Tread	500	N/A
C616	6" x 2"	N/A	Wheel Only	Polyolefin Hub, Polyurethane Tread	1000	N/A
C642	6" x 2"	Plate	Rigid w/ Hex Brake	Polyurethane Wheel	1000	3" x 3"



Ordering Information

Prices: For the most current pricing, please contact the factory at 800-255-0104. Specifications and prices are subject to change without prior notice.

Locate Your Sales Representative: Please visit our website at www.NewAgeMH.com and go to “Find A Sales Rep”.

Quotations: Quotations are valid for 45 days from the date of the quotation. Changes in raw materials or economic factors are beyond our control. New Age reserves the right to increase prices with 30 days notice or at the time of the order confirmation.

Cancellations: Cancelled orders within two weeks of scheduled shipment are subject to a cancellation charge of 25% of the total purchase order.

Terms of Payment: Payment in full 30 days after shipment or C.O.D. at the discretion of New Age Industrial’s Credit Department. If you are a new customer and are not listed in Dun & Bradstreet, please give us the name and address of three credit references and your bank, unless you prefer C.O.D. terms. We also accept Visa, Master Card, and American Express payments.

Past due accounts are subject to 1.5% interest per month.

Damaged or Lost Goods: It is the responsibility of the consignee’s receiving agent to inspect equipment upon delivery. If you see your shipment is incomplete or damaged when you receive it make a notation on the freight bill — If the freight company will not allow you to do so, refuse shipment. If the damage is concealed, you **must** notify New Age within 15 days (including the day of delivery plus weekends and holidays). New Age will handle all claim paperwork for the customer.

Returns: Returned merchandise must be pre-approved with a RMA number assigned by New Age and noted on both the shipping label and bill of lading. Merchandise is to be returned with transportation charges prepaid and is subject to a 20% handling and inspection charge. New Age reserves the right to refuse the return of any piece of equipment.

Acceptance: Possession of Price List does not constitute an offer to sell. Orders are subject to acceptance by New Age Industrial.

Custom Equipment: All equipment not listed in this Price List shall be considered “custom”. **POSITIVELY NO RETURNS will be accepted on “custom” built equipment.**

Safety: For the most current safety information, see www.NewAgeIndustrial.com or call 800-255-0104.

Guarantees

New Age Industrial Corporation, Inc guarantees that the products listed in their most recent price list (casters, wheels, and other fastening devices excluded) **will not rust or corrode for the period of time the original purchaser owns it**, provided the products are used within the listed restrictions.

All products are also **guaranteed against material defects and workmanship for one year** under the same restrictions



Restrictions

1. Your New Age product must be used solely for its intended purpose. Abuse of, misuse of, changes to, alteration of, or improper maintenance of original equipment shall void any warranty.
2. Your New Age product must not be loaded beyond the product’s published uniformly distributed static load limit (capacity).
3. Your New Age product must be cleaned on a periodic basis every three to four weeks or be cleaned within accepted industry standards, following the generally accepted cleansing agent’s instructions.
4. New Age shall not be liable for incidental, special, indirect, or consequential damages arising or resulting from misuse, use, inability to use, or from product defects or other tort.

If requested, the damaged product will be returned to New Age at the owner’s expense for inspection and approval.

**New Age Industrial Corporation, Inc.
16788 US Hwy 36 • PO Box 520
Norton, KS 67654**

0116.....	61	1065.....	55	12460GSU.....	54	1361.....	45	1830S.....	60
0116.....	61	1065TB.....	56	12472GS.....	54	1371T.....	69	1830SB.....	59
0117.....	55, 56	1066.....	55	12472GSC.....	54	1371W.....	69	1830TB.....	58
0119.....	62	1066TB.....	56	12472GSCU.....	54	1372T.....	69	1836HD.....	57
0300.....	40	1067.....	55	12472GSU.....	54	1372W.....	69	1836S.....	60
0312.....	9	1067TB.....	56	1261.....	39	1373CL.....	69	1836SB.....	59
0313.....	9	1068.....	55	1262.....	39	1373CT.....	69	1836TB.....	58
0359.....	9	1068TB.....	56	1263.....	39	1373T.....	69	1842HD.....	57
0360.....	40	1070.....	55	1264.....	39	1373W.....	69	1842S.....	60
0360L.....	40	1070TB.....	56	1265.....	39	1374CL.....	69	1842SB.....	59
0361.....	39	1071.....	55	1265H.....	39	1374CT.....	69	1842TB.....	58
0363.....	40	1071TB.....	56	1266.....	39	1374T.....	69	1848HD.....	57
0363L.....	40	1121.....	62	1266H.....	39	1374W.....	69	1848S.....	60
0381.....	40	1121PR.....	62	1267.....	39	1375.....	69	1848SB.....	59
0381L.....	40	1122.....	62	1271.....	41	1375T.....	69	1848TB.....	58
0382.....	40	1122PR.....	62	1272.....	41	1375W.....	69	1854HD.....	57
0382L.....	40	1123.....	62	1273.....	41	1376.....	69	1854SB.....	59
0814.....	40	1123PR.....	62	1274.....	41	1377.....	69	1854TB.....	58
0816.....	40	1124.....	62	1276.....	41	1378.....	69	1860HD.....	57
0818.....	40	1125.....	62	1277.....	41	1379.....	69	1860SB.....	59
0820.....	40	1125A.....	62	1279.....	41	1380.....	69	1860TB.....	58
1021.....	55	1126.....	62	1288.....	65	1381.....	69	1866HD.....	57
1021TB.....	56	1126A.....	62	1289.....	65	1382.....	69	1866TB.....	58
1022.....	55	1127.....	62	1290.....	46	1383.....	69	1872HD.....	57
1022TB.....	56	1127A.....	62	1291.....	46	1384.....	69	1872SB.....	59
1023.....	55	1151.....	11	1292.....	46	1407.....	15	1872TB.....	58
1023TB.....	56	1152.....	11	1293.....	46	1408.....	16	1872UB.....	65
1024.....	55	1161.....	42	1296.....	46	1410.....	16	2001.....	53
1024TB.....	56	1162.....	42	12P.....	61	1415.....	18	2002.....	53
1025.....	55	1163.....	42	13036GS.....	54	1416.....	18	2003.....	53
1025TB.....	56	1164.....	42	13036GSC.....	54	1420.....	18	2004.....	53
1026.....	55	1171.....	50	13036GSCU.....	54	1430.....	11	2005.....	53
1026TB.....	56	1172.....	50	13036GSU.....	54	1431.....	11	2006.....	53
1027.....	55	1173.....	50	13048GS.....	54	1440.....	14	2007.....	53
1027TB.....	56	1174.....	50, 52	13048GSC.....	54	1450.....	12	2008.....	53
1028.....	55	1181.....	50	13048GSCU.....	54	1451.....	12	2009.....	53
1028TB.....	56	1182.....	50	13048GSU.....	54	1452.....	12	2010.....	53
1030.....	55	1183.....	7	13060GS.....	54	1455.....	12	2012.....	53
1030TB.....	56	1184.....	7	13060GSC.....	54	1461.....	45	2013.....	53
1031.....	55	1192.....	49	13060GSCU.....	54	1461S.....	45	2014.....	53
1031TB.....	56	1193.....	49	13060GSU.....	54	1481.....	44	2015.....	53
1041.....	55	1194.....	49	13072GS.....	54	1490.....	18	2016.....	53
1041TB.....	56	1199.....	49	13072GSC.....	54	1530HD.....	57	2017.....	53
1042.....	55	1200.....	52	13072GSCU.....	54	1530S.....	60	2018.....	53
1042TB.....	56	1201.....	52	13072GSU.....	54	1530SB.....	59	2019.....	53
1043.....	55	1202.....	52	1330.....	45	1530TB.....	58	2020.....	53
1043TB.....	56	1203.....	52	1330S.....	45	1536HD.....	57	2021.....	53
1044.....	55	1204.....	52	1331.....	45	1536S.....	60	2022.....	53
1044TB.....	56	1205.....	52	1331S.....	45	1536SB.....	59	2026.....	53
1045.....	55	1206.....	52	1332.....	45	1536TB.....	58	2027.....	53
1045TB.....	56	1207.....	52	1332S.....	45	1542HD.....	57	2028.....	53
1046.....	55	1208.....	52	1333.....	45	1542S.....	60	2029.....	53
1046TB.....	56	120T.....	69	1333S.....	45	1542SB.....	59	2030HD.....	57
1047.....	55	120W.....	69	1334.....	45	1542TB.....	58	2030S.....	60
1047TB.....	56	1211.....	52	1334S.....	45	1548HD.....	57	2030SB.....	59
1048.....	55	1212.....	52	1340.....	43	1548S.....	60	2030TB.....	58
1048TB.....	56	1213.....	52	1343.....	43	1548SB.....	59	2031.....	53
1050.....	55	1214.....	52	1345.....	43	1548TB.....	58	2032.....	53
1050TB.....	56	12436GS.....	54	1346.....	43	1554HD.....	57	2033.....	53
1051.....	55	12436GSC.....	54	1347.....	43	1554SB.....	59	2036HD.....	57
1051TB.....	56	12436GSCU.....	54	1348.....	43	1554TB.....	58	2036S.....	60
1061.....	55	12436GSU.....	54	1354.....	42	1560HD.....	57	2036SB.....	59
1061TB.....	56	12448GS.....	54	1355.....	42	1560SB.....	59	2036TB.....	58
1062.....	55	12448GSC.....	54	1355M.....	42	1560TB.....	58	2036UB.....	61
1062TB.....	56	12448GSCU.....	54	1356.....	44	1566HD.....	57	2042HD.....	57
1063.....	55	12448GSU.....	54	1356M.....	44	1566TB.....	58	2042S.....	60
1063TB.....	56	12460GS.....	54	1357.....	44	1572HD.....	57	2042SB.....	59
1064.....	55	12460GSC.....	54	1358.....	44	1572TB.....	58	2042TB.....	58
1064TB.....	56	12460GSU.....	54	1359.....	75	1830HD.....	57	2042UB.....	61



Index

2048HD	57	2430SB	59	2525	63	3789F	74	60330	6
2048S	60	2430TB	58	2531	63	40007	9	6262	39
2048SB	59	2436HD	57	2532	63	44023	9	6263	39
2048TB	58	2436SB	59	2533	63	44026	9	6263KD	39
2048UB	61	2436TB	58	2535	63	47035	9	6265	39
2052	53	2436UB	61	2541	63	47092	1, 2	6266	39
2054	53	2442HD	57	2542	63	48P	61	6345	43
2054HD	57	2442SB	59	2543	63	50060	38	6347	43
2054SB	59	2442TB	58	2545	63	50061	38	6348	43
2054TB	58	2442UB	61	2551	63	50112	49	6354	42
2060HD	57	2448HD	57	2552	63	50125	48	68P	61
2060SB	59	2448SB	59	2553	63	50172	4	72P	61
2060TB	58	2448TB	58	2555	63	50212	22	76P	61
2060UB	61	2448UB	61	2561	63	50310	22, 61	84P	61
2062	53	2454HD	57	2563	63	50311	22, 61	92052	44
2064	53	2454SB	59	2565	63	50312	22, 61	92093	62
2066HD	57	2454TB	58	2571	63	50313	22	92094	62
2066SB	59	2460HD	57	2573	63	50314	22	93136	39
2066TB	58	2460SB	59	2575	63	50315	22	94029	65
2072HD	57	2460TB	58	2581	63	50316	22	94030	65
2072SB	59	2460UB	61	2582	63	50376	53	94031	65
2072TB	58	2466HD	57	2583	63	50617C	28	94136	62
2096HD	57	2466SB	59	2585	63	50617H	28	94249	62
21524ES24P	54	2466TB	58	3030HD	57	50617R	28	94273	65
21524ES30P	54	2472HD	57	3036HD	57	50617T	28	94274	65
21524ES36P	54	2472SB	59	3048HD	57	50707	33	94275	65
21530ES24P	54	2472TB	58	30P36KD	67	50723	65	94293	9
21530ES30P	54	2496HD	57	30P48KD	67	51005	9	94294	9
21530ES36P	54	24P36KD	67	30P60KD	67	51019	65	95241	7
21536ES24P	54	24P48KD	67	30P72KD	67	51020	65	95370	7
21536ES30P	54	24P60KD	67	30P84KD	67	51021	65	95403	64
21536ES36P	54	24P72KD	67	30P96KD	67	51022	65	95404	64
21542ES24P	54	24P84KD	67	30PBS36KD	67	51023	65	95405	64
21542ES30P	54	24P96KD	67	30PBS48KD	67	51024	65	95410	65
21542ES36P	54	24PBS36KD	67	30PBS60KD	67	51025	65	95631	64
21548ES24P	54	24PBS48KD	67	30PBS72KD	67	51026	65	95632	64
21548ES30P	54	24PBS60KD	67	30PBS84KD	67	51027	65	95633	64
21548ES36P	54	24PBS72KD	67	30PBS96KD	67	51045	48	95634	62
21824ES24P	54	24PBS84KD	67	30SS36KD	66	51087	71	95636	51
21824ES30P	54	24PBS96KD	67	30SS48KD	66	51101	51	95661	17
21824ES36P	54	24SS36KD	66	30SS60KD	66	51102	51	95667	23
21830ES24P	54	24SS48KD	66	30SS72KD	66	51103	51	95762	8
21830ES30P	54	24SS60KD	66	30SS84KD	66	51169	65	95762RS	8
21830ES36P	54	24SS72KD	66	30SS96KD	66	51170	65	96055	8
21836ES24P	54	24SS84KD	66	30SSB36KD	66	51171	65	96055RS	8
21836ES30P	54	24SS96KD	66	30SSB48KD	66	51172	65	96134BH	17
21836ES36P	54	24SSB36KD	66	30SSB60KD	66	51173	65	96328	46
21842ES24P	54	24SSB48KD	66	30SSB72KD	66	51174	65	96617	64
21842ES30P	54	24SSB60KD	66	30SSB84KD	66	51619	40	96618	64
21842ES36P	54	24SSB72KD	66	30SSB96KD	66	51620	40	96619	64
21848ES24P	54	24SSB84KD	66	30US36KD	66, 67	51621	40	96856	8
21848ES30P	54	24SSB96KD	66	30US48KD	66, 67	51622	40	96856NC	8
21848ES36P	54	24US36KD	66, 67	30US60KD	66, 67	51753	9	96P	61
22024ES24P	54	24US48KD	66, 67	30US72KD	66, 67	52064	9	97102	62
22024ES30P	54	24US60KD	66, 67	30US84KD	66, 67	54P	61	97126	16
22024ES36P	54	24US72KD	66, 67	30US96KD	66, 67	6004	52	97132	23
22030ES24P	54	24US84KD	66, 67	31842TT7	65	6005	52	97177	13
22030ES30P	54	24US96KD	66, 67	34P	61	6006	52	97178	13
22030ES36P	54	2501	63	3763	74	6008	52	97179	13
22036ES24P	54	2502	63	3765	74	6009	52	97180	13
22036ES30P	54	2503	63	3768	74	6010	52	97205	39
22036ES36P	54	2505	63	3769	74	6014	52	97211	45
22042ES24P	54	2511	63	3770	73	6015	52	97212	45
22042ES30P	54	2512	63	3770W	73	6016	52	97213	45
22042ES36P	54	2513	63	3771	73	6017	52	97214	45
22048ES24P	54	2515	63	3771F	73	6018	52	97215	45
22048ES30P	54	2521	63	3771W	73	6019	52	97216	45
22048ES36P	54	2522	63	3783	73	60328	6	97253	39
2430HD	57	2523	63	3784	73	60329	6	97285	62



97286.....	62	99613.....	31	C495	76	DWG50932.....	36	DWG99647.....	25
97287.....	62	99627.....	2	C500	76	DWG50936.....	30	DWG99699.....	37
97476.....	19, 20	99640.....	35	C510	9, 76	DWG50956.....	24	DWG99710.....	37
97592.....	23	99653.....	68	C511	76	DWG50958.....	52	DWG99712.....	46
97621.....	72	99654.....	68	C513	76	DWG50977.....	36	DWG99726.....	20
97753.....	64	99664C.....	28	C514	76	DWG50984.....	36	DWG99733.....	5
97754.....	64	99664H.....	28	C516	9, 76	DWG51081.....	6	DWG99739.....	29
97755.....	64	99664R.....	28	C518	9, 76	DWG51105.....	25	DWG99762.....	47
97769.....	13	99664S15.....	28	C519	76	DWG51136.....	24	DWG99765.....	13
97846.....	72	99664S30	28	C526	9, 76	DWG51187.....	6	DWG99791.....	46
97873.....	70	99664T.....	28	C527	9, 76	DWG51216.....	32	DWG99804.....	14
97874.....	70	99676F.....	2	C559	76	DWG51242J.....	30	DWG99811.....	37
97875.....	70	99676NC.....	2	C560	76	DWG51333.....	1	DWG99847.....	37
97876.....	70	99676P	2	C568	76	DWG51349.....	5	DWG99860.....	33
97877.....	70	99677.....	1	C598	9, 76	DWG51385.....	25	DWG99885.....	14
97878.....	70	99677NC.....	1	C642	9, 76	DWG51403.....	24	DWG99962.....	48
97879.....	70	99677PNU	1	DWB50245.....	10	DWG51501.....	14	DWG99979.....	25
9787C.....	70	99749.....	31	DWG50009.....	10	DWG51504.....	23	DWG99995.....	46
97880.....	70	99799.....	21	DWG50051.....	36	DWG51681R.....	30	DWG99998.....	29
97942.....	12	99814.....	72	DWG50054.....	24	DWG51743.....	37	HT18F10	1
97986PC	19	99819.....	68	DWG50064.....	37	DWG91999.....	3	HT18NC	1
98012PC	18	99820.....	68	DWG50071.....	50	DWG95948.....	23	HT18P10	1
98037.....	4	99821.....	68	DWG50111.....	37	DWG96076.....	17	NS496	61
98167.....	72	99822.....	68	DWG50111.....	37	DWG96134.....	17	NS557	14
98172WP	9	99823.....	68	DWG50171.....	12	DWG96493.....	24	NS557A	14
98181.....	12	99824.....	68	DWG50186.....	48	DWG96803.....	17	NS648	44
98182.....	12	99825.....	68	DWG50207.....	30	DWG97180.....	17	NS675	62
98183.....	12	99826.....	68	DWG50215.....	30	DWG97594.....	17	NS675A	62
98667.....	5	99867.....	21	DWG5021C.....	38	DWG97655CD.....	46	NS745	14
98736.....	51	999	69	DWG50238.....	33	DWG97830.....	46	NS753	62
98737.....	51	99936.....	51	DWG50263.....	32	DWG97852.....	12	NS765	15
98852C.....	27	ASG12	70	DWG50264.....	32	DWG98243.....	23	NS793	62
98852H.....	27	ASG15	70	DWG50291.....	29	DWG98297.....	11	NS885	61
98852R.....	27	ASG18	70	DWG50303.....	46	DWG98423.....	19	NS933	65
98852T.....	27	ASG21	70	DWG50372.....	35	DWG98525.....	21	NS943	62
98951.....	65	ASG24	70	DWG50373.....	36	DWG98527T	6	PC432.....	61
98953.....	65	BDT18566.....	9	DWG50391.....	47	DWG98559.....	18	PPC4048	32
99251.....	49	BDT18566NC	9	DWG50412.....	6	DWG98601.....	18	PPH4048	32
99260.....	49	BDT18568.....	9	DWG50427.....	33	DWG98639.....	18	PPR4048	32
99261.....	49	BDT18568NC	9	DWG50436.....	36	DWG98891.....	23	PPT4048.....	32
99262.....	49	C1836HD	60	DWG50444.....	25	DWG98909.....	29	PT2436P6.....	6
99263.....	49	C1836TB	60	DWG50445.....	50	DWG98920.....	33	PT2436S6.....	6
99271.....	40	C1848HD	60	DWG50472.....	48	DWG98926.....	46	PT2448P6.....	6
99272.....	40	C1848TB	60	DWG50498.....	33	DWG99012.....	12	PT2448S6.....	6
99273.....	40	C1860HD	60	DWG50500.....	30	DWG99038.....	21	PT3048P6.....	6
99274.....	40	C1860TB	60	DWG50535.....	6	DWG99108.....	13	PT3048S6.....	6
99301.....	54, 61	C2436HD	60	DWG50540.....	25	DWG99113.....	38	PT3060P6.....	6
99304.....	41	C2436TB	60	DWG50541.....	24	DWG99139.....	30	PT3060S6.....	6
99316.....	39	C2448HD	60	DWG50569.....	68	DWG99162.....	29	PT3660P6.....	6
99320.....	5	C2448TB	60	DWG50571.....	72	DWG99171.....	20	PT3660S6.....	6
99321.....	5	C2460HD	60	DWG50614.....	30	DWG99211.....	13	PT3672P6.....	6
99322.....	5	C2460TB	60	DWG50619.....	24	DWG99214.....	72	PT3672S6.....	6
99323.....	5	C2472HD	60	DWG50636.....	24	DWG99238.....	13	RGY16825	39
99324.....	5	C2472TB	60	DWG50641.....	25	DWG99240.....	11	RTC18.....	3
99360.....	71	C405	76	DWG50653.....	46	DWG99244.....	1	RTC18DG	3
99387.....	31	C410	76	DWG50676.....	29	DWG99249.....	20	RTC18DG	3
99418C.....	27	C421	76	DWG50679.....	36	DWG99352.....	24	RTCB16.....	3
99418H.....	27	C440	61, 76	DWG50688.....	3	DWG99361.....	5		
99418R.....	27	C453	76	DWG50699PP.....	72	DWG99377.....	20		
99418T	27	C455	76	DWG50706.....	33	DWG99380.....	72		
99475.....	72	C460	76	DWG50729.....	36	DWG99470.....	20		
99521.....	40	C461	76	DWG50744.....	24	DWG99501PC	18		
99524F.....	2	C462	9, 76	DWG50785.....	30	DWG99510.....	24		
99524NC.....	2	C464	76	DWG50788.....	31	DWG99523.....	1		
99524P	2	C469	9, 76	DWG50789.....	25	DWG99538.....	20		
99551.....	72	C480	76	DWG50854.....	25	DWG99548.....	37		
99555.....	35	C482	76	DWG50871.....	19	DWG99567.....	29		
99557.....	31	C485	76	DWG50887.....	24	DWG99601.....	11		
99566.....	32	C490	76	DWG50931.....	36	DWG99608.....	14		



Proudly Made
In The U.S.A

New Age Industrial Corporation, Inc. • NewAgeIndustrial.com
phone: (800) 255-0104 or (785) 877-5121 • fax: (877) 877-7687 or (785) 877-2616

Looking For Sales Opportunities?

New Age PDF Flyers Support Your Sales Campaigns.

Aluminum Catalog Items and Custom Products by New Age Industrial

With Your Company

- Logo
- Contact Information
- Phone Number
- Website

10 Available Sales Campaigns



NEW AGE
INDUSTRIAL
NEW AGE

New Age Industrial Corporation, Inc. • NewAgeIndustrial.com
phone: (800) 255-0104 or (785) 877-5121 • fax: (877) 877-7687 or (785) 877-2616



Beverage

Beverage Solutions



Forklift

Forklift Solutions



Grower

Grower's Equipment



Healthcare

Healthcare Solutions



Ladder Cart

Ladder Cart Solutions



Order Picker

Order Picker Solutions



Picking Carts

"Put" and "Pick" Solutions



Processing

Processing Solutions



Shelving

Shelving Solutions



New Age Industrial Corporation, Inc. • NewAgeIndustrial.com
phone: (800) 255-0104 or (785) 877-5121 • fax: (877) 877-7687 or (785) 877-2616

NEW AGE
INDUSTRIAL

New Age Industrial Corporation, Inc.

16788 US Hwy 36 | PO Box 520 | Norton, Kansas 67654

Phone: **800-255-0104** | 785-877-5121

Fax: **877-877-7687** | 785-877-2616

NewAgeIndustrial.com



Adjustable Shelving



#1263



#99272 - Base
#0363 - Tub
#0363L - Lid



#50125



#99814